

# Tencent Cloud Automation Tools

## Glossary

### Product Documentation



## **Copyright Notice**

©2013–2026 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

## **Trademark Notice**

 Tencent Cloud

All trademarks associated with Tencent Cloud and its services are owned by the Tencent corporate group, including its parent, subsidiaries and affiliated companies, as the case may be. Trademarks of third parties referred to in this document are owned by their respective proprietors.

## **Service Statement**

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

# Glossary

Last updated: 2022-05-23 15:27:21

## ### Execution path

TAT stores the user command to the instance as a file and then execute it. For a Linux instance, the path is /tmp.

## Execution Status

- Instance-level execution status: the status of a command when it's executed in one instance.
- Overall execution status: the status of a command when it's executed in multiple instances.

## TAT agent

TAT agent is a light-weighted plugin that installed in Lighthouse instances. All commands are executed over this agent.