

Secure Content Delivery Network User Guide

Product Documentation





Copyright Notice

©2013-2025 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice

🔗 Tencent Cloud

All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.



Contents

User Guide

Domain Name Connection

Domain Name Operations

Configuration Management

Event Logs

User Guide Domain Name Connection

Last updated : 2025-01-23 17:20:34

After purchasing an SCDN package, log in to the SCDN Console to add and configure your domain name. Your defense configurations for the domain name will be deployed to all SCDN nodes, which does not affect your business.

Creating a Distribution

On the Defense Settings page, click Create a Distribution.

Create a Distribution	More Actions 🔻				Search by domain name		Q, Q
Domain \$	Status T	Custom Defense Policy	Web Attack Defense T	CC Attack Defense T	DDoS Attack Defense T	BOT Defense Y	Operation
scdn-global-m	Protecting	None	Block	Enable	Enable	Disable	Manage Disable Delete
xxxx.elliotxing	Protecting	None	Block	Enable	Enable	Disable	Manage Disable Delete

The distribution creation page consists of two parts:

Basic defense configuration

Custom defense policy

Basic defense configuration

This feature allows you to configure the web attack defense, CC attack defense, and DDoS attack defense settings for your domain name.

Basic Defense Con	figuration
Protected Domain	1 domain name has been selec 🔻
Web Attack Defense	
CC Attack Defense	
DDoS Attack Defense	Elastic defense is disabled by default
Submit	

Protected domain name

Select one or more domain names to connect to SCDN (wildcard domain names are not supported).

The domain name you select must be already connected to CDN and the CDN service is enabled.

Up to 10 domain names can be added at a time. The total number of domain names connected to SCDN cannot exceed the limit of your SCDN package.

Web attack defense

Web Attack Defense		
	Defense Level	O Loose O General O Strict
	Defense Mode	O Block Observe
	Blocking Page	O Default Page O Custom Block Page

You can enable web attack defense as needed.

Defense mode: supports **Block** and **Observe** modes. The **Block** mode enables SCDN nodes to detect web attack requests and block them based on your setting, returning the default blocking page and a 403 status code, or redirecting the requests to your custom blocking page.

Custom page address: the user-defined page to which SCDN nodes redirect the web attack requests.

Redirect status code: supports status codes 301 and 302.

CC and DDoS attack defense

CC attack defense and DDoS attack defense are enabled by default.

Elastic defense will be enabled by default if your package includes the service. Otherwise, it is disabled by default. For more details, see Billing.

Custom defense policy

SCDN allows you to create complex access control rules by specifying fields, such as IP, URI, Referer, User-Agent and Params, to filter requests. You can also create and combine multiple conditions with the condition logic in a single rule depending on the business scenario.

Custom Defense Policy				
You can configure custom block	ng rules by specifying the client IP, access path, pa	rameters, Referer, User-Agent header, etc.		
Add Rule Adjust Pri	ority			
Rule Name	Match Condition	Action	Rule Status	Operat
		No data ye	t	

Match Field	Logical Operator	Matching Value (Operation
Params v	Include v		Delete
	Add	Condition	
Block	Ŧ		
efault Page Preview 🛂			
0			
	Match Field Params Params Block Pault Page Preview	Match Field Logical Operator Params Include Params Add Block efault Page Preview [2]	Match Field Logical Operator Matching Value () Params ▼ Include ▼ Add Condition Block ▼ efault Page Preview [2]

Defense rule

×



A maximum of five custom rules can be created and each rule can have up to five matching conditions. These rules and conditions are combined with OR and run in order from top to bottom. **If any of these conditions is met, the access is blocked**.

Match field: supports Params, URL (only limited to path, such as /test/1.jpg , excluding parameters after "?"), IP (client IP), Referer, and User-Agent.

Match condition: supports Include, Exclude, Equal to, Not equal to, Length shorter than, Length equal to, and Length longer than.

Match value: supports only **one** match, and does not support regular expressions. It is left blank by default if not specified.

Submitting configuration

Click "Submit" to submit your completed domain name configuration, which takes about five minutes to be effective. In the pop-up window, click **Back to Defense Configuration** if you want to return to view or modify your configuration; click **Continue** if you want to add domain names.

Domain Name Operations

Last updated : 2025-01-23 17:20:40

If you want to delete a domain name connected to SCDN service, you can delete it on the SCDN console. You can also manage its configuration on the console.

Deleting a Domain Name

Only an SCDN domain name with its SCDN service disabled can be deleted. After the deletion, its configuration will also be removed. The steps are as follows:

Note:

Click **Disable** to disable the SCDN service for the domain name you want to remove, which will not affect its CDN acceleration service.

Click **Delete** on the right of the domain name.

Create a Distribution	More Actions 🔻				Search by domain name		Q
Domain \$	Status T	Custom Defense Policy	Web Attack Defense T	CC Attack Defense T	DDoS Attack Defense Y	BOT Defense 🔻	Operation
scdn-global-m	Protecting	None	Block	Enable	Enable	Disable	Manage Disable Delete
xxxx.elliotxing	Protecting	None	Block	Enable	Enable	Disable	Manage Disable Delete
Total items: 2					20 👻 / p	age H 4 1	/ 1 page

Managing Configuration

You can view and modify the configuration for a domain name as follows: Click **Manage** on the right of the domain name you want on the SCDN console. For more details, see Configuration Management.

Create a Distribution	More Actions 🔻				Search by domain name		Q,
Domain ‡	Status T	Custom Defense Policy	Web Attack Defense T	CC Attack Defense T	DDoS Attack Defense T	BOT Defense 🕈	Operation
scdn-global-m	Protecting	None	Block	Enable	Enable	Disable	Manage Disable Delete
xxxx.elliotxing	Protecting	None	Block	Enable	Enable	Disable	Manage Disable Delete
Total items: 2					20 🔻 /	page H 4	/ 1 page

Configuration Management

Last updated : 2025-01-23 17:20:47

On the SCDN console, you can view and modify your SCDN configurations such as web attack defense and custom defense policies. Your modification will take effect in about 5 minutes once submitted.

Configuring a Domain Name

Log in to the SCDN Console, locate the domain name to check or modify its configuration, and click Manage.

Create a Distribution	More Actions *				Search by domain name		Q
Domain ‡	Status T	Custom Defense Policy	Web Attack Defense ¥	CC Attack Defense 🔻	DDoS Attack Defense 🔻	BOT Defense 🕈	Operation
scdn-global-m	Protecting	None	Block	Enable	Enable	Disable	Manage Disable Delete
xxxx.elliotxing	Protecting	None	Block	Enable	Enable	Disable	Manage Disable Delete
Total items: 2					20 🔻 / p	age H 4 1	/1 page

The domain name configuration page will display the security configuration details, including the web attack defense, DDoS attack defense and CC attack defense settings as well as custom defense policies.

scdn-global-mengjieduan.elementtest.org							
tom Defense Configuration	Web Attack Defense	DDoS Attack Defense	CC Attack Defense	BOT Defense			
Custom Defense Policy You can configure custom blocking Add Rule Adjust Prior	rules by specifying the client IP,	access path, parameters, Refer	er, User-Agent header, etc.				
Rule Name	Match Conditio	n	Action	Rule Status	Operation		

Modifying the Configuration

On the domain name configuration page, you can modify the following defense settings based on your business needs.

Web attack defense

Based on Tencent's massive web attack samples, SCDN supports identifying good access requests from bad ones and protecting your origin server against web attacks including SQL injection, XSS attacks and local file inclusion in real time.

WAF Configuration		
Defense Status	Enabled	
Defense Level	General Rule Details	
Defense Mode	Block	
Blocking Page	Default Page	

WAF Configuration						
Web Attack Def ense						
	Defense Level	O Loose O General O Strict				
	Defense Mode	O Block Observe				
	Blocking Page	O Default Page Custom Block Page				
		Save Cancel				

You can enable web attack defense and set defense levels as needed.

Defense mode: supports **Block** and **Observe** modes. The **Block** mode enables SCDN nodes to detect web attack requests and block them based on your setting, returning the default blocking page and a 403 status code, or redirecting the requests to your custom blocking page.

Custom page address: the user-defined page to which SCDN nodes redirect the web attack requests.

Redirect status code: supports status codes 301 and 302.

Custom defense policy

SCDN allows you to create complex access control rules by specifying fields, such as IP, URI, Referer, User-Agent and Params, to filter requests. You can also create and combine multiple conditions with the condition logic in a single rule depending on the business scenario.

Custom Defense Policy				
You can configure custom blockir	ng rules by specifying the client IP, access path, pa	rameters, Referer, User-Agent header, etc.		
Add Rule Adjust Price	ority			
Rule Name	Match Condition	Action	Rule Status	Opera
		No data ye	t	

Add Custom De	efense Rule			
Match Condition	Match Field	Logical Operator	Matching Value (j)	Operation
	Params 💌	Include 💌		Delete
		Add	Condition	
ction	Block	*		
locking Page	Default Page Preview 🛂			
tule Status				
		Confirm	Cancel	

1. Adding and modifying defense rules

A maximum of five custom rules can be created and each rule can have up to five matching conditions. These rules and conditions are combined with OR and run in order from top to bottom. **If any of these conditions is met, the access is blocked**.

Match field: supports Params, URL (only limited to path, such as /test/1.jpg , excluding parameters after "?"), IP (client IP), Referer, and User-Agent.

Match condition: supports Include, Exclude, Equal to, Not equal to, Length shorter than, Length equal to, and Length longer than.

Match value: supports only **one** match, and does not support regular expressions. It is left blank by default if not specified.

2. Disabling and deleting rules

By clicking **Enable**/**Disable**, you can enable/disable rules as needed.

By clicking **Delete**, you can delete rules as needed. The rules that you deleted cannot be restored.

3. Adjusting priority

By clicking **Adjust Priority**, you can adjust the rule order, without affecting blocking requests.

DDoS and CC attack defense

With advanced feature recognition algorithms, SCDN delivers a precise cleansing of attack traffic and an all-round protection against DDoS attacks including SYN floods, TCP floods and ICMP floods. Meanwhile, it can analyze and block malicious CC attacks using self-designed intelligent CC attack identification and blocking technologies, recommended policies, and multi-dimensional, custom rules.

CC attack defense and DDoS attack defense are enabled by default.

Custom IP access limit rules are supported.

Elastic defense will be enabled by default if your package includes the service. Otherwise, it is disabled by default. For more details, see Billing.

Event Logs

Last updated : 2025-01-23 17:20:55

Overview

SCDN supports logging web attack information, including the time that SCDN received the attack request, attacker IP address, attack type, and content at which the attack targeted. It also allows you to output logs you need by setting download filters and creating log tasks.

Downloading Logs

Log in to the SCDN console, select **Event Logs** on the left sidebar, and then create log tasks as follows:

Last 1 Hour	Last 6 Hours	Today	Yesterday	Last 7 [Days 20	21-10-11 00:00:00 ~ 20	021-10-11 19:53:45 📋		
All Domain Nam	9S ▼	Chinese	Mainland	Overseas					
Web Attack	v	All Attack	lypes	Ŧ	All Actions	v			
ilters									
Query	Create Log Task	()							

Click **Create Log Task**. Select the domain name you want, attack type (which can be set to all attack types or a specific one), action (which can be set to all actions or a specific one), and time period.

Attack logs for the last seven days can be downloaded.

A maximum of 100 log tasks can be created per day and each log task can contain up to 1,000 logs.



Attack Type	Defense Type	Domain	Protected Region	Task Details	Time Period \$	Creation Time \downarrow	Status T	Operation
Web Attack	All Attack Types	All Domain Names	Chinese Mainland	All Attack Types; All Actions;	2021-10-11 00:00:00 to 2021-10-11 19:53:45	2021-10-11 19:55:01	No logs (j)	Download

After the log task is created, log files will be generated in about one minute. Click **Download**.

Downloaded log files can be retained for seven days.