

# **Web Application Firewall**

## **Practical Tutorial**

### **Product Documentation**



## Copyright Notice

©2013-2025 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

## Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by the Tencent corporate group, including its parent, subsidiaries and affiliated companies, as the case may be. Trademarks of third parties referred to in this document are owned by their respective proprietors.

## Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

# Contents

## Practical Tutorial

- WAF CCP Overview

- Bot Management

  - Best Practices of Scenario-Based Bot Configuration

  - Best Practices of Bot Traffic Management Connection

- API Security

  - API Security Practice Tutorial

  - WAF Working with API Gateway

  - API Capacity Protection

  - API Data Security and Enhancement

  - API Exposure Management

  - API Behavior Control

- Integration

  - Combined Application of WAF and Anti-DDoS Pro

  - Applying for and Using Free HTTPS Certificates

  - Obtaining Real Client IPs

  - Replacing Certificate

- Protection Configuration

  - Setting CC Protection

  - Connecting Frontend-Backend Separated Site to WAF CAPTCHA

  - Setting WAF Exception Alarms in TCOP

# Practical Tutorial

## WAF CCP Overview

Last updated : 2023-12-29 14:52:34

WAF meets the major standards of CCP 2.0. According to [Information security technology – Baseline for classified protection of cybersecurity](#) (GB/T 22239-2019), WAF meets the security requirements at level 3.

No.	CCP Chapter	CCP No.	CCP Standard Content	Feature Description
1	Access control	8.1.3.2 e)	Access control based on application protocol and content should be implemented for inbound/outbound data flows.	Access control policies at the application layer are configured to implement access control based on application protocol and content for inbound/outbound data flows.
2	Intrusion protection	8.1.3.3 a)	Externally initiated network attacks should be detected, prevented, or blocked on key network nodes.	WAF is deployed on the perimeters to detect and trigger alarms for various attacks and scans.
3	Intrusion protection	8.1.3.3 c)	Technical measures should be adopted to analyze network behaviors, especially new types of network attack behaviors.	WAF can check and block web traffic in real time and supports AI + rule dual-engine protection to prevent zero-day and other new unknown attacks.
4	Intrusion protection	8.1.3.3 d)	When an attack behavior is detected, the attack source IP, type, target, and event should be logged, and alarms should be triggered for serious intrusions.	WAF can detect and block HTTP and HTTPS traffic attacks and log information such as attack type, URL, content, and source IP, hit rule name and ID, risk level, attack time, target host, and executed action.
5	Malicious code protection	8.1.3.4 a)	Malicious code should be detected and cleared on key network nodes, and the malicious code protection mechanism should be upgraded and updated promptly.	WAF basic security and rule engine modules can implement this feature.
6	Security audit	8.1.3.5	Security audit should be performed	Intrusion events are audited on



		a)	on the network perimeters and key network nodes and cover every user to audit key user behaviors and security events.	the perimeters.
7	Security audit	8.1.3.5 c)	Audit logs should be protected and regularly backed up to prevent unexpected log deletion, modification, and overwriting.	Logs are retained for at least six months, during which tenants cannot delete or tamper with them.

# Bot Management


## Best Practices of Scenario-Based Bot Configuration

Last updated : 2023-12-29 14:52:50

### Overview

With bot and application security, you can enable and configure modules in bot management, observe and analyze traffic through bot traffic analysis and access logs. Then, you can set refined policies based on the session status to protect core website APIs and businesses from bot attacks.


Bot management supports configuration of bot scenario types, client risk identification (browser bot defense module), threat intelligence module, AI evaluation module, bot flow statistics module, action score, custom rules, token configuration, and legitimate bots. You can configure these modules for refined bot management as shown below:



### Prerequisites

To connect to bot traffic management, you need to purchase a WAF [instance extra pack](#).

On the [Bot and application security](#) page, you have selected the target domain name and enabled bot traffic management.



## Scenario-Based Bot Configuration

Leveraging Tencent's years of expertise in bot governance, this feature offers client risk identification (browser bot defense module), threat intelligence module, AI policy module, bot analytics module, action score, session management, legitimate bots, and custom rules specifically for flash sales, price/content crawling, and login scenarios. It simplifies configuration and makes everything easy to use.

1. Log in to the [WAF console](#) and select **Configuration center > Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.
3. On the **Bot management** tab, click **Create scenario**.
4. In the pop-up window, configure parameters and click **Create now**.

### Note:

The flash sales, login, or price/content crawling scenario and custom scenario are mutually exclusive.

### Parameter description:

**Scenario name:** Scenario name, which can contain up to 50 characters.

**Business scenario type:** You can select multiple ones, including flash sales, login, price/content crawling, and custom scenarios.

**Client type:** Type of the client accessing the protected object.

**Priority:** Scenario execution priority, which is an integer between 1–100. The smaller the value, the higher the priority.


**Scope:** The scenario scope under the domain name, which can be **All scopes** or **Custom scope**.

5. The scenario-based management list will display the data of the created scenario card, which can be further configured.


## Session Management

This feature allows you to configure the token location of a session to differentiate between access behaviors of different users through the same IP. Therefore, you can precisely handle a user with abnormal access behavior without affecting other users.

1. Log in to the [WAF console](#) and select **Configuration center > Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



3. In **Global settings** on the **Bot management** tab, click **Configure now** in the **Session management** module section.



4. On the **Session management** page, click **Add a configuration**, configure parameters, and click **OK**.

### Add Token

Token name

Up to 128 characters

Token description

Up to 128 characters

Token location \*

GET ▼

Token ID \*

Up to 32 characters

On/Off



OK

Back

#### Parameter description:

**Token name:** Custom name, which can contain up to 128 characters.

**Token description:** Custom description, which can contain up to 128 characters.

**Token location:** It can be **HEADER**, **COOKIE**, **GET**, or **POST**. Here, **GET** and **POST** are HTTP request content parameters rather than HTTP header information.

**Token ID:** Token ID.

## Client Risk Identification (Browser Bot Defense Module)

The client risk identification feature uses the dynamic identity verification technology and generates a unique ID for each client's business request to detect possible bots and malicious crawlers in the access to websites or HTML5 pages.


#### Note:

This feature **does not support CLB-WAF, wildcard domain names, and applications**. It applies only to websites and HTML5 pages. If non-dynamic verification is involved, the automated API script needs to be first added to the allowlist.


### Adding to allowlist

The allowlist is mainly used to allow APIs that don't need to be set.

1. Log in to the [WAF console](#) and select **Configuration center** > **Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



3. In **Global settings** on the **Bot management** tab, click **Configure now** in the **Browser bot defense module** section.
4. On the **Browser bot defense module** page, click **Add rule**.



5. In the **Add allowlist rule** pop-up window, configure parameters and click **OK**.

### Add allowlist rule

Type

☒ Request allowlist ☐ Response allowlist

Add the request paths or URLs (under the protected path) that do not need dynamic security checks to the allowlist

Condition

Path suffix match ▼

Content

ico,gif,bmp,htc,jpg,jpeg,png,tiff,swf,js,css,rm,rmvb,wmv,avi,mkv,mp3,mp4,ogg,wma,zip,exe,rar,eot,woff,woff2,ttf,svg

Rule description (optional)

On/Off

☐


OK

Back

## Case 1: A large number of requests from automated scripts

There are a large number of requests from automated scripts. In this case, you can block `CURL` , `SOAPUI` , `JMETER` , `POSTMAN` , and similar requests.

1. Log in to the [WAF console](#) and select **Configuration center** > **Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



3. In **Global settings** on the **Bot management** tab, click **Configure now** in the **Browser bot defense module** section.

4. Click



of **Automated identification** to confirm the allowlist.

5. On the configuration page of a certain scenario, click **Browser bot defense module**, click



, and select **Block** for **Defense mode**.

6. Below are the results of the **CURL** , **SELENIUM** , and **POSTMAN** requests:

```

$1f.length;_$_D++){_$_1f[_$_D]^=_$_2[Math.abs(_$_D)%16];}}return;}}else if(_$_WA*122>1830&&32-_$_WA>0){if(-100<_$_WA-123&
WA*122<3416){if(150===126+_$_WA){_$_hL+=7;}}else if(92*_$_WA===2300){_$_hL+=-13;}}else if(-24===_$_WA-50){_$_D.push("MI7Fp9Dr
Oxm3nUWnNuL");}}else{var _$_wr=_$_mt[19];}}else if(_$_WA*79>1501&&24-_$_WA>0){if(131===111+_$_WA){_$_D.push(59);}}else if(2*_
===42){_$_12=_$_2[_$_8B(_$_mt[5])];}}else if(16===_$_WA-6){_$_12=_$_vc&&_$_vc[_$_8B(_$_mt[3])];}}else{_$_12=_$_1t[_$_8B(_$_mt[6])]}(_$_
_$_mt[0]);}}else if(15-_$_WA<0&&20>_$_WA){if(43===27+_$_WA){_$_vc[_$_8B(_$_mt[3])][_$_8B(_$_mt[29])]}(_$_vc);}}else if(91*_$_WA===
7){return;}}else if(-63===_$_WA-81){_$_D.push(4);}}else{_$_y2();}}else{if(91===63+_$_WA){_$_hL+=3;}}else if(58*_$_WA===1682){_$_
=_$_1t[_$_8B(_$_mt[4])];}}else if(-73===_$_WA-103){_$_hL+=13;}}else{_$_1t[_$_8B(_$_mt[6])]}(_$_8B(_$_mt[0]))[_$_8B(_$_mt[2])]}(_$_2
_$_mt[0]);}}else if(16>_$_WA){if(-55<_$_WA-62&&_$_WA*12<1488){if(41===33+_$_WA){_$_D.push("fgqqr0_PGViqpxCUk1_YuJlqTLN1fSxoDg7spVZx'
8nQ_UPWqqr7Dccebc0qqr4r0qqr0c22qq.CB.7K7RYGXUTYmj9XtdgeOmTyesaZg_0qSWhVgawzuE|)YCaXKuVdJsy7mbq1rpWv1s3eM9Q8EDA6WpVpssl
2bw0EEq10G1qf1Jh1QzchTRdpFCuWwBV44bufWBL4gCuHMzar5pkcMJLaN16Qh_90_0k8MJZM4SuJiZZaak6jqdqK4ShNMzBy6buhxWqeSkhViv0Suu4pl
VnCxprxxfvD4jMwzB2CIJ3wRPPDFmMHL1auBDHz9G0K1K1QlwarciRdNy60sMJwSvZob.xH9u4pDZoMZAzc8r8F70.kkNRdzyNPscHR29e0tjJ33oLDuvxl
7DDZDRzP_PIPqtEcBDtbEy9_zaqqqqqqr0QQSp1x1W7APrrh9L71n2ct0EXAP2hqqVHiGj6G0IcJ0J6GuVkwZi{Mq32FZPH784zx4T0jpdyyq5PdDM_J0nTl
7rGuBjM5xzec66wHRzzCdNMilzZosuM3SBDT6ihQT0nD6gIENB0b6lUtWqhq7QQHsrGZiGac64qqqr0HQNywdloZpR9Ua20qch7eki6z9Dm5AqqqYw9hjv:
iGJxE0xVPeGt4c64qq14096qqqhQAM3Ma8MO_wkRbQqqk162HmCGbKcppEmgBVn3qqt10831790401rrL.");}}else if(67*_$_WA===603){_$_vc._$_Ui:
iP;}}else if(-21===_$_WA-31){_$_D.push("7V000tRWGFA");}}else{if(!_$_12)_$_hL+=1;}}else if(_$_WA*116>348&&8-_$_WA>0){if(62===
_$_WA){_$_2._$_id=_$_1f;}}else if(118*_$_WA===590){_$_2[_$_8B(_$_mt[35])]=_$_eV;}}else if(-117===_$_WA-123){var _$_2=_$_1t[_$_8B(_$_m
t[3])]}(_$_8B(_$_mt[24]));}}else{_$_D.push(4);}}else if(4>_$_WA){if(101===101+_$_WA){_$_1t[_$_8B(_$_mt[4])]}(_$_8B(_$_mt[2])]}(_$_2);
se if(52*_$_WA===52){if(!_$_12)_$_hL+=2;}}else if(-69===_$_WA-71){_$_D.push("Vk_yxby7sIG");}}else{var _$_1f=_$_m0;}}else{if(1:
=12+_$_WA){_$_2[_$_8B(_$_mt[34])]=_$_mt[33];}}else if(74*_$_WA===962){_$_2._$_src=_$_13;}}else if(-4===_$_WA-18){_$_1t[_$_8B(_$_mt[1
])]}(_$_8B(_$_mt[2])]}(_$_2);}}else{_$_D.push("R.ldTebdfga");}}}}else{if(-17<_$_WA-64&&_$_WA*22<1144){if(85===37+_$_WA){return 0;
se if(51*_$_WA===2499){return Math.abs(arguments[1]) % 16;}}else if(36===_$_WA-14){return 10;}}else{return 8;}}else{return
}}}}function _$_rY(_$_vs){var _$_wr,_$_uD,_$_KD=_$_vs,_$_vc=_$_Fb[2];while(1){_$_uD=_$_vc[_$_KD++];if(-16>_$_uD-20){if(3===_$_uD){_$_
_$_2[_$_8B(_$_mt[5])]=_$_8B(_$_mt[15])|_$_2[_$_8B(_$_mt[5])]=_$_8B(_$_mt[42]);}}else if(120===119+_$_uD){_$_PU(_$_1f);}}else if(
_$_uD===140){_$_2[_$_8B(_$_mt[46])]=null;}}else{if(!_$_wr)_$_KD+=2;}}else{return;}}}})}()</head>
<body>
<input type="hidden" id="__onload__" name="cDLJ.6zf1ivja8RAGWSNtmGchMfTmH_nrcvrZ2rWMSsSfm3KwKWRvkmWb1UdoYcTl8J_iPk.XCM
XBKK8HwG" value="g.bsDjQpVCmzPMoer.dbDA">


</body>
</html>
psdpan@psdpanMacBook-Pro ~ % curl http://www.psdpan.com -I
HTTP/1.1 202 Accepted
Content-Type: text/html; charset=utf-8
Connection: keep-alive
Set-Cookie: Cc2838679FS=5ffyjNUVxUtd.BOCnqlHHKmk7AhiBH.OtxKdMrzQg1gG.T8yHY8c.A2gLxFTip_ohj9ld.vaZWdWfo_OuKvQ4G; Path=
expires=Tue, 02 Mar 2032 09:11:53 GMT; HttpOnly
Expires: Sat, 05 Mar 2022 09:11:53 GMT
Date: Sat, 05 Mar 2022 09:11:53 GMT
Server: *****
Cache-Control: no-store
Pragma: no-cache

```






1. Log in to the [WAF console](#) and select **Configuration center > Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.





of **Page anti-debugging** to confirm the allowlist.




5. On the configuration page of a certain scenario, click **Browser bot defense module**, click



, and select **Block** for **Defense mode**.

6. Below is the result of the Chrome request:




## Threat Intelligence Module

The threat intelligence module feature is built on Tencent's nearly 20 years of experience in cybersecurity and big data intelligence. It determines the status of an IP in real time and uses a scoring mechanism to quantify a risk. It precisely identifies the access from a malicious dynamic IP and IDC. In addition, it intelligently identifies the features of a malicious crawler to cope with risky access requests from malicious crawlers, distributed crawlers, proxies, credential stuffing, and bargain hunting.

**Note:**

Before enabling the threat intelligence module feature, you need to check whether the business has IDC traffic access, and if so, disable IDC before enabling threat intelligence module.

1. Log in to the [WAF console](#) and select **Configuration center > Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



3. In **Global settings** on the **Bot management** tab, click **Configure now** in the **Threat intelligence module** section.
4. On the **Threat intelligence module** page, check whether there is IDC traffic access, and if so, click **Disable all** of **IDC network**.

Threat intelligence module

Identify IDC access sources and bot categories.

This is a global policy. Your changes to the threat intelligence settings will take effect on all scenes under the current domain name.

Don't show again

IDC network

Enable all


Disable all

IDC network type	IDC network description	On/Off
Aws	The IPs belong to the AWS (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather than ...	<div></div>
Azure	The IPs belong to the Microsoft Azure (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies r...	<div></div>
Google	The IPs belong to the GCP (IDC IP) IP library, and are often used by attackers to deploy bots or proxies rather than norm...	<div></div>
UCloud	The IPs belong to the UCloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather tha...	<div></div>
Alibaba Cloud	The IPs belong to the Alibaba Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rat...	<div></div>
Baidu Cloud	The IPs belong to the Baidu Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rath...	<div></div>
Huawei Cloud	The IPs belong to the Huawei Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rat...	<div></div>
Kingsoft Cloud	The IPs belong to the Jinshan Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rat...	<div></div>
pubyun	The IPs belong to the Baidu Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rath...	<div></div>
Qing Cloud	The IPs belong to the Qing Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather...	<div></div>
Tencent Cloud	The IPs belong to the Tencent Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rat...	<div></div>

5. If there is no IDC traffic access, click the configuration page of a certain scenario, click **Bot flow statistics module**, and click



in the **Threat intelligence module** section.



## AI Evaluation Module


The AI evaluation module feature builds AI evaluation models from AI technologies and Tencent's experiences in controlling risks and fighting cybercrimes. Through big data analysis and AI modeling of access traffic, it quickly identifies malicious requesters and defends against risky access requests from APT and hidden threat bots.

### Note:

The AI evaluation module implements automatic learning based on AI modeling and can be directly enabled. If there is a false positive, add the URL to the allowlist.

### Enabling the AI evaluation module

1. Log in to the [WAF console](#) and select **Configuration center > Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



3. In **Global settings** on the **Bot management** tab, click **Configure now** in the **AI policy module** section.

### Adding to allowlist

#### Background

On the **AI evaluation module** tab, the request is normal but reported as abnormal.

Basic session info					
Request feature info					
Threat intelligence module					
AI evaluation module					
Bot flow statistics module					
The AI evaluation module calculates a probability value of exceptions. "0" indicates no exceptions, whereas a bigger number indicates a higher probability.					
Request feature					
URL duplication rate ⓘ	0 (Probability value1)	Total URL types ⓘ	0 (Probability value1)	Maximum URL depth ⓘ	0 (Maximum probability value1)
Minimum URL depth ⓘ	0 (Minimum probability value1)	Average speed ⓘ	0 (Probability value1)	Query count ⓘ	0 (Probability value398)
Session duration ⓘ	0 (Probability value1613.33)				
Cookie					
Cookie duplication rate ⓘ	0 (Probability value0)	Percentage of most repeated Cookies ⓘ	0 (Probability value0)	Total Cookie types ⓘ	0 (Probability value0)
User-Agent					
User-Agent duplication rate ⓘ	0 (Probability value0)	Total User-Agent types ⓘ	0 (Probability value1)	Percentage of valid User-Agents ⓘ	0 (Probability value1)
User-Agent randomness index ⓘ	0 (Probability value0)	Percentage of the most used User-Agents ⓘ	0 (Probability value1)		
Referer					
Referer duplication rate ⓘ	0 (Probability value0)	Total Referer types ⓘ	0 (Probability value1)	Referer count ⓘ	0 (Probability value0)
Query					
Query duplication rate ⓘ	0 (Probability value1)	Total Query types ⓘ	0 (Probability value1)	Query count ⓘ	0 (Probability value398)

## Directions

1. Log in to the [WAF console](#) and select **Configuration center > Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.

3. In **Global settings** on the **Bot management** tab, click **Configure now** in the **AI evaluation module** section.
4. On the **AI evaluation module** page, click **Add to allowlist**, enter the name, description, and URL, and click **OK**.

**Add to allowlist**

Policy name

Up to 128 characters

Rule description

Up to 128 characters

Allowed URL \*

Enter the allowed path starting with "/" (up to 128 chars)

On/Off



OK

Back

5. Click the configuration page of a certain scenario, click **Bot flow statistics module**, and click



in the **AI policy module** section.


## Bot Flow Statistics Module

Based on big data analysis, the bot flow statistics module feature automatically classifies customer traffic by feature and identifies abnormal and malicious traffic. It automatically adjusts the malicious traffic threshold and handles risky access requests from general and high-frequency bots. With auto-adjustment modeling, it resolves most of the bot behavior bypasses.

**Note:**

You can directly enable the bot flow statistics module. The smart mode is recommended.

1. Log in to the [WAF console](#) and select **Configuration center > Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



3. In **Global settings** on the **Bot management** tab, click **Configure now** in the **AI evaluation module** section.

## Action Policy


The action score feature leverages the threat intelligence module, AI evaluation module, and bot flow statistics module to provide a comprehensive score ranging from 0 to 100 for the risk level of an access request to a website. The higher the score, the more likely it is from a bot, and the higher the risk level. With the score provided by bot analytics, the risk level of an access request is intelligently identified, and you can precisely block a risky access request by configuring different action policies, the scope of each action policy, and actions in different score ranges.

### Background

When the threat intelligence module, AI evaluation module, or bot flow statistics module identifies a large amount of traffic, you can customize actions for configuration analysis, as the default configuration cannot implement precise blocking.



### Directions

1. Log in to the [WAF console](#) and select **Bot traffic analysis** on the left sidebar.
2. On the **Bot traffic analysis** page, select the target domain name in the top-left corner, select the target access source, and click **View details**.



3. In the **Basic session info** section on the details page, view the region and IP region.





## Create action policy

Scope Request path Include /bot/

Action policy name \* On/Off \* ☒Scope \* ☒ All scopes ☐ Custom scopePriority \*    Enter an integer between 1-100. The smaller the number, the higher the execution priority of the policy

Mode \*

☒ Loose mode☐ Moderate mode☐ Strict mode☐ Custom mode

Action distribution ⓘ



Score (0-100)			Action	Tag	Operation
<input type="text" value="0"/>	-	<input type="text" value="35"/>	<input type="text" value="Trust"/>	<input type="text" value="Normal tr"/>	<a href="#">Delete</a> <a href="#">Add</a>
<input type="text" value="35"/>	-	<input type="text" value="90"/>	<input type="text" value="Monitor"/>	<input type="text" value="Suspicioi"/>	<a href="#">Delete</a> <a href="#">Add</a>
<input type="text" value="90"/>	-	<input type="text" value="100"/>	<input type="text" value="CAPTCHA"/>	<input type="text" value="Malicious"/>	<a href="#">Delete</a> <a href="#">Add</a>

Save

Cancel

## Parameter description:

**Policy name:** Enter name of the action policy.**On/Off:** Specify whether to apply the current action policy.**Scope:** The scope of the current action policy.**Priority:** Action policy execution priority, which is an integer between 1-100. The smaller the value, the higher the priority.

**Mode:** By default, there are loose, moderate, strict, and custom modes. The first three modes are preset, representing different recommended categories and handling policies for bots at different risk levels in bot traffic management. Once modified, they become the custom mode.

**Score range:** A score ranges from 0 to 100. Ten score entries can be added to each range, which is left-closed and right-open and cannot be overlapped. You can set a range to null, and then no action will be processed in it.

**Action:** You can set an action to **Trust**, **Monitor**, **Redirect** (to a certain website URL), **CAPTCHA**, or **Block**.

**Tag:** You can set a tag of **Friendly bots**, **Malicious bots**, **Normal traffic**, or **Suspicious bots**.

**Friendly bots:** The bot is friendly and legal for the website by default.

**Suspicious bots:** The system finds the access source traffic suspicious but cannot determine if it is malicious to the website.


**Normal traffic:** The access traffic is regarded as from a real user.

**Malicious bots:** The bot has malicious traffic and is unfriendly to the website.


## Legitimate Bot

This feature allows legitimate bots (such as search engines and feed bots) to get website data so that the website can be normally indexed.

1. Log in to the [WAF console](#) and select **Configuration center** > **Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



3. In **Global settings** on the **Bot management** tab, click **Configure now** in the **Legitimate bots** module section.



4. On the **Legitimate bots** page, click



to enable the feature.

Legitimate bots				
<div><span>ⓘ</span> This is a global policy. Your changes to the legitimate bots settings will take effect on all scenes under the current domain name. <span>Don't show again</span> <span>×</span></div>				
Bot type	Rule description	Action	On/Off	Last modified
Search engine bot	The bot crawls the content ...	<span>✓</span> Trust	<div><div></div></div>	2023-02-20 14:06:21
Feed bot	The bot crawls the Internet I...	<span>✓</span> Trust	<div><div></div></div>	2023-02-20 14:06:24

## Custom Rule

This feature allows you to precisely handle compliant crawlers and access requests with different features.

### Note:

Currently, when you are creating a scenario-based bot rule, a custom rule set has been preset for the scenario.

This feature analyzes data mainly from [bot traffic analysis](#).

The content **is for reference only and cannot be used as the standard business configuration**. Web crawlers fall into diverse categories and generally vary by business type.

### Case details

If requests cannot be blocked by setting an action score, you need to set the abnormal behavior characteristics. After identifying the exception in **Bot traffic analysis**, click **Details** to view the exception data and compare it with normal business data.


For example, if the URL duplication is 1 , the number of sessions is 100 per minute, and User-Agents are misused , you need to check whether there are similar requests or proxies in the business, and if not, there is a malicious attack. Then, you can view the exception and configure the blocking policy as follows.

### Case study

1. Log in to the [WAF console](#) and click **Bot traffic analysis** on the left sidebar.
2. On the **Bot traffic analysis** page, select the target domain name in the top-left corner and select the target access source. You can see that the IP request is fast, there is a single URL, and the threat intelligence is IDC.

	Access ...	Session...	Region	Domain...	Reques...	Action	Num...	Hit ...	See...	Acti...	Bot s...	Bot ...	Thr...	Inte...	Typ...	Logg...	Operation
<input type="checkbox"/>		--	Chengdu		/	Monitor	2	Bot an...	3690	3691	29	Suspiciou s bot	Tencen... threat i...			2023-02-20 17:00:00	<a href="#">View logs</a> <a href="#">View details</a> <a href="#">Add to blocklist</a>
<input type="checkbox"/>		2	Shanghai		/	Monitor	1	Bot an...	3688	3689	51	Suspiciou s bot	Alibaba... threat i... abnor...			2023-02-20 15:00:00	<a href="#">View logs</a> <a href="#">View details</a> <a href="#">Add to blocklist</a>


3. Click **View details**. In the **Basic session info** tab, you can view the average number of sessions per minute and the total number of sessions. Then, set the policy accordingly.



4. On the **Threat intelligence** tab, check whether the IP has been used by a real user based on the intelligence data.


Basic session info	Request feature information	Threat intelligence module	AI evaluation module	Bot flow statistics module	Session management
<b>IDC type</b>					
IDC type		IDC description			
Alibaba Cloud		The IPs belong to the Alibaba Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather than normal users.			

5. On the **Request feature info** tab, view the request details.



## Policy configuration

1. Log in to the [WAF console](#) and select **Configuration center > Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



3. Click the configuration page of a certain scenario and click **Custom rules**.
4. On the **Custom rules** page, click **Add a configuration**. Based on the above analysis, set the percentage of repeated URLs to a value greater than 0.7 (no other data exceeds this value during the process) and the number of sessions per minute to a value greater than 500. Then, click **OK**.

**Add custom session feature**

Rule name \*

Enter a rule name with up to 50 characters

Rule description

(Optional) Enter up to 256 characters

0 / 256

On/Off

☒

Condition \*

Match field	Matched parameter	Logical operator	Content	Operation
Percentage of repeated URLs		>	0.7	Delete
Average session speed		>	500	Delete

Add Up to 10. You can add 8 more methods

Action \*

Block

Priority

-

100

+

Enter an integer between 1-100. A smaller value indicates a higher execution priority. When the priority is the same, rules more recently added are executed before the less recently added

Custom tag \*

Malicious bot

OK

Back

**Note:**

Currently, when you are creating a scenario-based bot rule, a custom rule set has been preset for the scenario.

# Best Practices of Bot Traffic Management Connection

Last updated : 2023-12-29 14:55:32

This document describes how to quickly connect to the bot traffic management feature and defend against malicious traffic during routine operations.

## Prerequisites

To connect to bot traffic management, you need to purchase an [extra pack](#) of WAF.

### Note:

Currently, WAF Enterprise and Ultimate users are offered a free trial of the bot traffic management feature to observe how bots affect websites.

## Parsing CAPTCHA

When you use applications, mini programs, and clients as well as cross-domain scheduling, the CAPTCHA issued by the WAF instance cannot be parsed and recognized. Therefore, the bot traffic management feature cannot parse and pop up the CAPTCHA for verification. After multiple CAPTCHAs are triggered, the access requests of normal users will be blocked, affecting the business.

Therefore, when configuring a CAPTCHA action, you need to modify the frontend/client business accordingly as instructed in [Connecting Frontend-Backend Separated Site to WAF CAPTCHA](#).

## General Business Connection

1. Log in to the [WAF console](#) and select **Configuration center** > **Bot and application security** on the left sidebar.
2. On the **Bot and application security** page, select the target domain name in the top-left corner and click **Bot management**.



### Web Application Firewall

Switch to Chinese Mainland new

Safe and visible

Security overview

Bot traffic analysis

Logs

Attack Logs

Access Logs

Asset Center

Domain Name List

Instance Management

Configuration Center

Basic security


**BOT**

Blocklist

## BOT

Rules

SaaS




Bot management rules [View traffic](#)

Enabled modules

0

### Bot management

#### Client risk identification



Browser bot defense module

It protects your website applications against possible bots and m

It is only applicable to website scenarios. Cross-region API sc

☐

[Configure now](#)

### Bot analytics


## Enabling bot traffic analysis

On the **Bot management** page, click



in the **Rules** section.

**Rules** **SaaS**

 Bot management rules [View traffic](#)

Enabled modules  
**0**

Custom rules  
**1** rules

## Setting browser bot defense module

1. In **Browser bot defense module** on the **Bot management** page, click





### Note:

Make sure that your client is a WeChat Official Account, HTML5 page, application, mini program, or PC client. When you only have a browser, WeChat Official Account, or HTML5 page as the client and need cross-domain scheduling, enable the browser bot defense module to achieve the best protection.

After the browser bot defense module is enabled, when its protection path is accesses, the system will check whether the client is capable of parsing JavaScript. A JavaScript code snippet will be issued to verify whether the client is a real browser. For mini programs, applications, and API calls, the query issued by WAF will not be actively parsed, so the client cannot perform parsing normally.

**Client risk identification**

 **Browser bot defense module**  
It protects your website applications against possible bots and malicious crawlers in access to websites or H5 pages.  
It is only applicable to website scenarios. Cross-region API scheduling, mini programs and apps are not supported. [View details](#)

 [Configure now](#)

2. In the browser bot defense module, click **Configure now** to configure protection for key pages.

### Note:

For more information, see [Bot Management](#).

Browser bot defense module

On/Off ☐

Protected path [Edit](#)

Automated identification ☒

Page anti-debugging ☒

Defense mode ☒ Monitor ☐ Redirect ☐ CAPTCHA ☐ Block

Allowlist policy

Add rule

Rule ID	Rule description	Type	Match condition	Match content	On/Off	Operation
---------	------------------	------	-----------------	---------------	--------	-----------

Setting threat intelligence module

1. In **Threat intelligence module** on the **Bot management** page, click



. When the module is enabled for the first time, all recognition items will be enabled. After you enable corresponding items, you can recognize the access sources at different malicious levels from the threat intelligence module and IDC.

## Bot analytics



### Threat intelligence module

Combined with Tencent's years of security experience and data, it provides high-reliability 24/7 threat intelligence, helping solve distributed bot attacks efficiently.

[Configure now](#)

### AI evaluation module

It applies AI models, built based on AI technology and Tencent's experiences in controlling risks and fighting illegal activities, to quickly identify malicious requests.

[Configure now](#)

### Bot flow statistics module

Using big data analytics and statistics and AI technology, it automatically identifies malicious users based on characteristics of user traffic.

[Configure now](#)

2. In the threat intelligence module, click **Configure now** to set the IDC network and threat intelligence library.

#### Note:

The current business callback API is in the IDC domain:

If you are not sure about a source IP, [contact us](#) to add the IDC to the allowlist, that is, to disable the IDC option in the threat intelligence module for the business.

If you are sure about the current business callback IP, add the source IP to the allowlist in **Custom rules**. For more information, see [Precise Allowlist Management](#).

## Bot analytics

### Threat intelligence module

[AI evaluation module](#)[Bot flow statistics module](#)[Action setting](#)

### IDC network

Enable all

Disable all

IDC network type	IDC network description	On/Off
Aws	The IPs belong to the AWS (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather than n...	<input checked="" type="checkbox"/>
Azure	The IPs belong to the Microsoft Azure (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies ra...	<input checked="" type="checkbox"/>
Google	The IPs belong to the GCP (IDC IP) IP library, and are often used by attackers to deploy bots or proxies rather than norma...	<input checked="" type="checkbox"/>
UCloud	The IPs belong to the UCloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather tha...	<input checked="" type="checkbox"/>
Alibaba Cloud	The IPs belong to the Alibaba Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rath...	<input checked="" type="checkbox"/>
Baidu Cloud	The IPs belong to the Baidu Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather...	<input checked="" type="checkbox"/>
Huawei Cloud	The IPs belong to the Huawei Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rath...	<input checked="" type="checkbox"/>
Kingsoft Cloud	The IPs belong to the Jinshan Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rath...	<input checked="" type="checkbox"/>
pubyun	The IPs belong to the Baidu Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather...	<input checked="" type="checkbox"/>
Qing Cloud	The IPs belong to the Qing Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rather ...	<input checked="" type="checkbox"/>
Tencent Cloud	The IPs belong to the Tencent Cloud (IDC IP) IP library, and are often exploited by attackers to deploy bots or proxies rath...	<input checked="" type="checkbox"/>

Threat intelligence library

Enabling AI evaluation module

In **AI evaluation module** on the **Bot management** page, click



## Bot analytics



### Threat intelligence module

Combined with Tencent's years of security experience and data, it provides high-reliability 24/7 threat intelligence, helping solve distributed bot attacks efficiently.

[Configure now](#)

### AI evaluation module

It applies AI models, built based on AI technology and Tencent's experiences in controlling risks and fighting illegal activities, to quickly identify malicious requests.

[Configure now](#)

### Bot flow statistics module

Using big data analytics and statistics and AI technology, it automatically identifies malicious users based on characteristics of user traffic.

[Configure now](#)

## Enabling bot flow statistics module

In **Bot flow statistics module** on the **Bot management** page, click



## Bot analytics



### Threat intelligence module

Combined with Tencent's years of security experience and data, it provides high-reliability 24/7 threat intelligence, helping solve distributed bot attacks efficiently.

[Configure now](#)

### AI evaluation module

It applies AI models, built based on AI technology and Tencent's experiences in controlling risks and fighting illegal activities, to quickly identify malicious requests.

[Configure now](#)

### Bot flow statistics module

Using big data analytics and statistics and AI technology, it automatically identifies malicious users based on characteristics of user traffic.

[Configure now](#)

## Setting action score

1. In the **Action setting** section on the **Bot management** page, click **Action score**.

Action setting

Action score

Action mode

Loose mode

Trust

Monitor

Redirect

CAPTCHA

Block

Action score

Score (0-100)	Action	Tag
Score 0-35	<div>Trust</div>	Normal traffic
Score 35-90	<div>Monitor</div>	Suspicious bots
Score 90-100	<div>CAPTCHA</div>	Malicious bots

2. On the **Action setting** tab, you can configure the score and action to precisely block risky access requests.



## Bot analytics

Threat intelligence module

AI evaluation module

Bot flow statistics module

**Action setting**

Loose mode

Moderate mode

**Strict mode**

Custom mode

Action distribution ⓘ


Trust Monitor Redirect CAPTCHA Block

Score (0-100)		Action	Tag	Operation
0	- 25	Monitor ▼	Friendly bots ▼	<a href="#">Delete</a> <a href="#">Add</a>
25	- 50	Monitor ▼	Suspicious bots ▼	<a href="#">Delete</a> <a href="#">Add</a>
50	- 80	CAPTCHA ▼	Suspicious bots ▼	<a href="#">Delete</a> <a href="#">Add</a>
80	- 100	Block ▼	Malicious bots ▼	<a href="#">Delete</a> <a href="#">Add</a>

## Use instructions

**Mode:** By default, there are loose, moderate, strict, and custom modes. The first three modes are preset, representing different recommended categories and handling policies for bots at different malicious levels in bot traffic management. Once modified, they become the custom mode.

**Score range:** A score ranges from 0 to 100. Ten score entries can be added to each range, which is left-closed and right-open and cannot be overlapped. You can set a range to null, and then no action will be processed in it.

**Action:** You can set an action to **Trust**, **Monitor**, **Redirect** (to a certain website URL), **CAPTCHA** (verification code), or **Block**.

**Tag:** You can set the tag to **Friendly bots**, **Malicious bots**, **Normal traffic**, or **Suspicious bots**.

**Friendly bots:** The bot is friendly and legal for the website by default.

**Suspicious bots:** The system finds the access source traffic suspicious but cannot determine if it is malicious to the website.

**Normal traffic:** The access traffic is regarded as from a real user.

**Malicious bots:** The bot has malicious traffic and is unfriendly to the website.

3. After completing the configuration, click **Publish** in the bottom-left corner of the page.

# API Security


## API Security Practice Tutorial

Last updated : 2024-09-05 11:40:21

### Overview

Users can enable the API security analysis feature on the [Access Management Page](#), and observe and analyze API assets and risks by combining features such as API traffic analysis, API asset management, API security, event management, and access logs. This allows for targeted policy settings to protect website API assets and businesses from network attacks and infringements, preventing the sensitive data leak.


The process of API security practice tutorial is as follows:



### Prerequisites


To enable API Security, you need to purchase the [instance's version](#) corresponding to WAF.

On the [Access Management Page](#), select the domain name to be protected and enable the API Security switch.



## API Traffic Analysis


1. Log in to the [WAF Console](#), and choose **Safe and visible** > **API Analytics** in the left sidebar.
2. On the API traffic analysis page, select the corresponding domain name from the top left corner. The right side shows whether API Security is enabled for the current domain name.



Display Instructions:

Field Name	Description
API asset overview	Statistics on the total number of API assets under the current domain name and the number of assets in corresponding statuses.
API security risks overview	Statistics on the number of risky APIs, sensitive APIs, and API events under the current domain name.
Asset activity status related	Statistics on the ranking, quantity, and trends of active APIs and inactive APIs under the current domain name.
Sensitive data API related	Statistics on the classification, ranking, and proportion distribution of sensitive APIs under the current domain name.
API event related	Statistics on the risk proportion of detected API events, ranking of related event numbers, event type proportions, number of events, and trends under the current domain name.


3. By clicking the **text** in the chart, you can navigate to the API asset list/API asset details page.




## API Asset Management

Users can manage and mark relevant API assets by changing the API asset status, making it convenient for subsequent statistics, analysis, and handling of API assets.

1. Log in to the [WAF Console](#), and choose **Asset Center** > **API Asset Management** in the left sidebar.
2. On the API Asset Management page, select the domain name to be protected in the top left corner. The right side shows whether the API Security is enabled for the current domain name.



3. On the API Asset Management page, select the API for which you want to change the status, and click **Asset Status** or **Status changed** for the API asset.



4. In the status changed window, modify the relevant parameters, and click **Submit**.

Detected

**In progress**

Confirmed

Offline

Ignored

Username \*

Remarks


Up to 100 characters

Submit Cancel

Description of the Status changed Page:

Field Name	Description
Username	Default to the current console account name, supporting user customization
Remarks	Status note description, up to 100 characters.
Status	Cover five statuses: Detected, Confirming, Confirmed, Abolished, and Ignored.

5. On the API asset management Page, select the API asset details you want to view, and click **View details** in the Operation column.




Description of the TAB details page:

Field Name	Description
API overview	Access trend, access source distribution, and request feature statistics of the current API.
API attack overview	Attack trends and statistics of top abnormal requests for the current API.
Parameter example	Request data and response data of the current API.
Parameter list	Parameters in the request and response data of the current API.
Associated event	Associated risk event list of the current API.
Change history	Status change history and remarks of the current API assets.


## Event Management

- Users can manage and mark relevant API assets by changing the API asset status, making it convenient for subsequent statistics, analysis, and handling of API assets.
1. Log in to the [WAF console](#), and choose **Event Management > API security events** in the left sidebar.
  2. On the API security events page, select the domain names to be protected in the top left corner. The right side shows whether API Security is enabled for the current domain name.
  3. In the event overview page, you can view the total number of current events and number of events in each status.





4. In the event list page, select the event status you want to change, and click **Status** or **Status changed** of the event.



5. In the status changed window, modify the relevant parameters, and click **Submit**.

Status changed

Detected

In progress

Handled

Ignored

Disabled

Username \*

Remarks

Up to 100 characters

Submit

Cancel

Description of the Status changed Page:

Field Name	Description
Username	Default to the current console account name, supporting user customization
Remarks	Status note description, up to 100 characters.
Status	Detected: Detected and unconfirmed API events.

Handling: API event with risks being confirmed and related rules being configured. This status includes processing suggestions for the event type (CC/access control/BOT, etc.), and appropriate rules can be added with one click.

Confirmed: API events with risks confirmed and handling rules added.

Ignored: Confirm as not required to be handled and ignore it.

Disabled: Observe the access traffic and attack traffic situation, confirming that the event can be completely closed.

6. On the Event Management page, select the target event, and click **View details** to enter the Details page.

7. On the Event details page, the information such as the basic information of the event, suggestions, added rules, and change history will be displayed.

Abnormal clients

Medium risk

Detected

Status changed

X

Basic information


Suggestion

Rule added

Attacker details

Change history

Basic information



Event ID

Event type

Occurred

Update time

Service exceptions|A...

2024-07-04 15:37:12

2024-07-22 21:08:53

Related API

GET

Associated domain

Attacker IP

1

Event details

Time: 2024-07-22. Detected a large number of suspicious requests from abnormal client types (bot). Please check and configure a rule against the abnormal UA types if necessary.

Suggestion

It is recommended to add the following rules

Suggestion 1

Suggestion 2

Suggestion

Each domain supports up to 150 rules

Add now

Go to "Basic Security > Access control > Add rule"

Conditions:

1.

2.

3.

Description of the Details Page:

Field Name	Description
Basic information	Information on the current event including event ID, event type, associated API, domain name, occurrence time, update time, and event details.
Suggestions	Suggestions for handling the current event type (CC, access control, and bot, etc.).
Added rules	Existing access control rules.
Attack source details	Details of the attack source and related operations for the current event.

Change history	History of status changes for the current event.
----------------	--

# WAF Working with API Gateway

Last updated : 2023-12-29 14:53:05

This document describes how to configure WAF to protect APIs on API Gateway.

## Prerequisite

You have activated [WAF](#).

You have published an API on API Gateway as instructed in [Getting Started](#).

## Directions

### Step 1. Bind a custom domain name in the API Gateway console


For more information about how to bind a custom domain name in the API Gateway console, see [Configuring a Custom Domain Name](#).

#### Note

When a custom domain name is bound to API Gateway, the system will check whether you have configured CNAME and resolved it to the service subdomain name. Therefore, you need to configure CNAME and resolve the custom domain name to the subdomain name of API Gateway, modify the DNS record, and point the custom domain name to the WAF CNAME domain name.

### Step 2. Configure WAF

1. Log in to the [WAF console](#) and select **Connection Management** on the left sidebar.
2. On the page that appears, click **Add domain name**.



3. Configure required parameters and click **OK**.

### Add domain name

Instance

SaaS

CLB

:

Domain name \*

Please enter the domain name

Server configuration ⓘ

☒ HTTP

80

☐ HTTPS

Use proxy ⓘ

☒ No ☐ Yes

Whether WAF uses **L7 proxy** (Anti-DDoS/CDN)?

Origin address ⓘ

☒ IP ☐ Domain name

Enter up to 50 IPv4/IPv6 origin addresses separated by carriage returns

Load balancing policy

☒ RR ☐ IP hash

Advanced settings ▲

Connection method

☐ Short connection ☒ Long connection

Persistent connection is used for forwarding by default. You can change the connection method as needed

Write timeout

— 300 +

seconds (Range: 1 - 600)

Your WAF does not support this feature. Please upgrade it to WAF Enterprise [Upgrade](#)

Read timeout

— 300 +

seconds (Range: 1 - 600)

Your WAF does not support this feature. Please upgrade it to WAF Enterprise [Upgrade](#)

Enable HTTP2.0 ⓘ

☒ No ☐ Yes

Please ensure that your origin server supports and enables HTTP2.0, or the configuration will downgrade to 1.1 even if HTTP2.0 is enabled

Enable WebSocket

☒ No ☐ Yes

If your website is using WebSocket, we recommend that you select Yes

4. The domain name should now be in the **No CNAME records added** status.

Add domain name

Select an instance

Select the security group status

Click to select a filter

<input type="checkbox"/>	Domain name/Access stat... ▾	Access information ⓘ ▾	Instance ID/name	Mode ▾	Intermediate address ⓘ	Bot	API security	IPv6	WAF ▾	Acces... ▾	Operation
<input type="checkbox"/>	No CNAME records added ⓘ	SaaS -Hong Kong (China)		Rule engine: Block mode		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Basic protect</a> <a href="#">BOT</a> <a href="#">More ▾</a>

Step 3. Modify the CNAME record

1. Modify the CNAME record at your DNS service provider and resolve the custom domain name to the WAF domain name.
2. Log in to the [WAF console](#), select **Connection Management** on the left sidebar and then the **Domain names** tab.

# API Capacity Protection

Last updated : 2023-12-29 14:53:17

## Why capacity protection is necessary for APIs?

APIs are designed for automated scheduling and thus vulnerable to network attacks caused by automated scheduling. Attackers attempt to use replays to automatically send volumes of business traffic with different authentication credentials, resulting in data leakage.

By using automated tools to launch Layer-7 DDoS attacks, attackers initiate continuous requests and occupy the bandwidth of the server and upstream and downstream computing and storage resources, resulting in business instability.

Fuzz testing tools can be also used to conduct targeted attacks and bypass security measures.

In addition, attackers can write automated programming tools to perform resource exhaustion attacks.

Given these threats, APIs can be protected by the following modules.

API capacity protection

API security protection

API asset management

API lifecycle management

This article describes how to implement API capacity protection. Note that during the development lifecycle, the API system stability can be protected and boosted by using **caching, downgrading, and rate limiting** measures.

Cache

Degrade

Rate limits

Increase system access speed and system processing capacity.

When the service or the core process is affected, temporarily block the API access, and unblock after the peak time or the problem is solved.

The system is protected by limiting the rate of concurrent access requests or the rate of requests within a time window. Once the rate limit is reached, services can be denied, queued or waited, and downgraded.

Although these effective protection measures can be implemented in the process of development, operation and deployment, they are too cost-consuming and throughout the lifecycle of API security, it is necessary to provide API capacity protection for all API assets.

Therefore, adjustments need to be made for each API, leading to exponentially increased workload. You can quickly protect the capacity of business APIs with the following methods.

### Note

API analytics is currently in beta and only supports 3 domain names. [Submit a ticket](#) if you need to use it.



## How to protect the capacity of APIs?

When protecting API capacity, in addition to the measures described above, you can also use the API capacity module in WAF. This article explains the following 9 methods for target APIs.

Protection Method	Description
API content caching	Cache static API resources.
API access downgrade	Block API exceptional traffic to protect business system stability.
API rate limiting	Limit the overall access request rate of the API.
API scheduling rate limiting	Limit the access speed of the client scheduling API.
Protection for API sensitive calls	Protect sensitive APIs from scheduling abuse and ensure no data breach.
Protection for API resources	Protect API resources from being overused.
Protection for key APIs	Perform 2FA/MFA authentication when key APIs are scheduled.
API signature verification	Verify that the client is a real client for access.
API exception scheduling protection	Protect the API from being accessed by abnormal resources.

## API Content Caching

Public APIs are frequently called to return content using a lot of resources. If the content will not be continuously updated for a period of time, the content can be cached to reduce computing and bandwidth resources of the API server.

Here you can use the **Web tamper protection** module in [Basic Security](#) to quickly cache the API content.

1. On the page displayed, click **Add rule**, and the rule adding window will pop up.
2. In the pop-up window, configure relevant fields and click **OK**.

### Add web tamper protection rule

Rule name

Enter a name (up to 50 chars)

Page URL

Please enter the access directory/complete static file path within 128 characters

Please configure static resources such as .html, .shtml, .txt, .js, .css, .jpg, .png, or the access path of static resources.

Add

Cancel

#### Field description:

**Rule name:** The rule name can be up to 50 characters. You can search for rules by name in attack logs.

**Page path:** Path of the page to be protected from tampering. You need to enter a specific URL rather than a path.

#### Note

The specified page is limited to static resources such as .html, .shtml, .txt, .js, .css, .jpg, and .png.

After the rule is added, when a user accesses this page for the first time, WAF will cache the page, and subsequent access requests will be directed to the WAF-cached page.

3. After the tamper protection rule is added, it will be enabled by default.

## API Rate Limiting

API rate limiting involves two parts:

### Limiting API speed

If API speed limits are imposed on the server, some clients may be unable to access business. When APIs are attacked by a large amount of traffic and the API speed is limited on the backend, most of the access traffic will be considered exceptional and blocked. So it is recommended to limit the **client calls**.

### Limiting API calls

The API calls allowed for each client can be restricted through CC protection and bot management.

### CC protection settings

With CC protection, you can set the overall access frequency of each client. Once the client exceeds the expected limit, it will be handled as configured.

1. On the [CC protection page](#), click **Add rule**.

Web security(657)

Access control

**CC protection**

Web tamper protection(1)

Data leakage prevention(1)

Add to precise allowlist

Precise i

**Emergency CC protection**<sup>①</sup>

Status ☐

Support auto decisions and protection policies based on exceptional responses (timeout and delay) of the origin server and website access history, real-time blocking of high-frequency access requests, and banning attackers for 1 hour

**Session setting**<sup>①</sup>

Set Test Dele

Session position: - Match mode Session ID-

Session settingStart position: ; End position: Configuration time-

Add rule

Each domain name supports up to 5 rules

Click to select a filter

Q

2. In the **Add rule** window displayed, configure the parameters and click **OK**.

**Add CC protection rules**

Rule name \*

Enter a name (up to 50 chars)

Recognition mode \*

☒ IP ☐ SESSION

Match method \*

Field	Matched parameter	Logical operator	Content	Operation
URL		Equal to	Must start with "/"; up to 128 cha	Delete
<a href="#">Add</a> Up to 10. You can add 9 more methods				

Access frequency \*

60

times

60sec

①

Action \*

Block

①

Penalty duration \*

10

minutes

①

Priority \*

-

50

+


OK

Back

## Bot management settings

Go to [Bot management](#) > **Bot protection**, configure the average session speed to control the continuous access speed of each client.

1. In the **Scene management** module, view the target scene by clicking **View configuration**.



2. Click **Add rule**, configure parameters, and click **OK**.

### Add bot allowlist

Rule name \*

Please enter a rule name within 50 characters

Rule description

(Optional) Enter up to 256 characters

0 / 256

On/Off

☒

Condition \*

Field	Matched parameter	Logical operator	Content	Opera
Average session speed ⓘ		>	Please enter an integer between 0-10000	times/min Delete

Add Up to 10. You can add 9 more methods

Priority

-

100

+

Enter an integer between 1-100. A smaller value indicates a higher execution priority. When the priority is the same, rules more recently added are executed before the less recently added

Custom tag \*

Friendly bot

OK

Back

## Session settings

With the dramatically growing number of IPv4 IPs in the current network, many IP operators have started using a NAT IP, which allows multiple business clients to use one public IP. If rate limits are only enforced on business IPs that share one NAT IP, IP rate limiting can be easily triggered with false positives. However, restricting the number of requests made will be much less effective if the rate limits are set too high.

Therefore, you can configure session settings, which can **automatically distinguish different clients under the same IP and impose business rate limits** for a single client.

### Session settings

1. Log in to the [WAF console](#) and select **Basic Security** on the left sidebar.
2. On the basic security page, select the target domain name in the top-left corner and click **CC protection**.

The screenshot displays the 'Basic Security' configuration page in the Tencent Cloud WAF console. At the top, there is a 'Basic Security' header with a dropdown menu and a 'Manage basic security configur' link. Below this, a 'Rules' section is shown with a 'SaaS' tab. Under the 'Rules' section, there are five toggle switches for 'Web security rules', 'Access control', 'CC protection', 'Web tamper protection', and 'Data leakage prevention'. The 'CC protection' toggle is turned on and highlighted with a red box. To the right of these toggles is a 'Block page' section with a 'Default' radio button and a dropdown menu labeled 'Select a block page', along with 'Apply', 'Add', and 'Delete' buttons. Below the toggles, there is a horizontal navigation bar with tabs for 'Web security(659)', 'Access control', 'CC protection' (highlighted with a red box), 'Web tamper protection', and 'Data leakage prevention'. To the right of this bar is a link 'Add to precise allowlist Precise'. The main content area is divided into two panels. The left panel is titled 'Emergency CC protection' and contains a 'Status' toggle switch which is turned on. Below the toggle is a text box explaining the feature: 'Support auto decisions and protection policies based on exceptional responses (timeout and delay) of the origin server and website access history, real-time blocking of high-frequency access requests, and banning attackers for 1 hour'. The right panel is titled 'Session setting' and contains fields for 'Session position', 'Match mode', 'Session ID', 'Start position', 'End position', and 'Configuration time'. There are 'Set', 'Test', and 'Delete' buttons at the top right of this panel.

3. In the **Session settings** module, click **Set**.

4. Configure parameters and click **OK**.

### Session setting

Session position \*

Please select ▼

Match mode \*

☐ String match ☐ Position match

Session ID \*

Up to 32 characters; string match (such as key\_b=)

End position

Enter up to 32 characters

#### GET/POST example

If the complete parameter of a request is key\_a=124&key\_b=456&key\_c=789  
In string match mode, the session ID iskey\_b= and in String Match mode, SESSION ID is "key\_b=", end character is "&", then 456 will be matched; or  
In location match mode, the session ID iskey\_b, start position is "0", and end position is "2", then 456 will be matched

#### Cookie example

If the complete cookie of a request is cookie\_1=123;cookie\_2=456;cookie\_3=789  
In string match mode, the session ID iscookie\_2=, end character is ";", then 456 will be matched  
In location match mode, the session ID iscookie\_2, start position is "0", and end position is "2", then 456 will be matched

#### Header example:

If the complete HEADER of a request is X-UUID: b65781026ca5678765  
In location match mode, the session ID isX-UUID, start position is "0", and end position is "2", then b65 will be matched

OK

Back

### Parameter description:

**Session position:** Select HEADER, COOKIE, GET, or POST, where GET and POST are HTTP request parameters rather than HTTP headers.

**Match mode:** Except HEADER (only supports position match), all support matching by string pattern or position.

**Session ID:** The identifier of the session. It can be up to 32 characters.

**Start position:** Specify the start of the string or the position. It is an integer between 1 and 2048 and only up to 128 characters can be extracted.


**End position:** Specify the end of the string or the position. It is an integer between 1 and 2048 and only up to 128 characters can be extracted.

### Conversation settings

1. Navigate to [Bot management](#) > **Advanced settings**, click **Configure now**.

©2013-2025 Tencent Cloud International Pte. Ltd.

Page 59 of 113



2. On the session management page, click **Add a configuration**, configure parameters and click **OK**.

### Note

A token ID should be a continuous tracking ID, such as the value of `set-cookies` after login.

### Add Token

Token name

Up to 128 characters

Token description

Up to 128 characters

Token location \*

GET

Token ID \*

Up to 32 characters

On/Off

☒

OK

Back

### Parameter description:

**Token location:** Select HEADER, COOKIE, GET, or POST, where GET and POST are HTTP request parameters rather than HTTP headers.

**Token ID:** The identifier of the Token.

### Limiting API calls

Each sensitive API should have a limit on the number of calls. For example, if the SMS API service is not rate-limited, the APIs could suffer abusive consumption and incur excessive charges. If these sensitive APIs are verified by 2FA/MFA or other authentication techniques before being called, abnormal API scheduling can be effectively reduced. You can limit API calls in [Bot management](#) > **Bot protection**.

### Performing authentication before sensitive API calls



Add custom rules

Rule name \*

Please enter a rule name within 50 characters

Rule description

(Optional) Enter up to 256 characters

0 / 256

On/Off

☒

Condition \*

Field	Matched parameter	Logical operator	Content	Opera
Request path ⓘ		Include	/api	Delete

Add Up to 10. You can add 9 more methods

Action \*

CAPTCHA

Priority

-

100

+

Enter an integer between 1-100. A smaller value indicates a higher execution priority. When the priority is the same, rules more recently added are executed before the less recently added

Custom tag \*

Suspicious bot

OK

Back

Limiting the total API calls per client can make within a session

**Add custom rules**

Rule name \*

Please enter a rule name within 50 characters

Rule description

(Optional) Enter up to 256 characters

0 / 256

On/Off

☒

Condition \*

Field	Matched parameter	Logical operator	Content	Opera
Request path ⓘ		Include	/api	Delete
Average session speed ⓘ		>	12	times/min Delete
<a href="#">Add</a> Up to 10. You can add 8 more methods				

Action \*

CAPTCHA

Priority

-

100

+

Enter an integer between 1-100. A smaller value indicates a higher execution priority. When the priority is the same, rules more recently added are executed before the less recently added

Custom tag \*

Suspicious bot

OK

Back

## How to authenticate the client access to APIs?

There are many ways to verify the client's signature, including but not limited to:

Mutual TLS authentication.

Client signature verification.

Client challenge authentication.

Authentication can be enhanced by applying mTLS and client signature challenges, etc.

Meanwhile, browser bot defence can be enabled in WAF to authenticate API data on the client side. For more details, see [Client Risk Identification](#).

## Scene configuration

**Browser bot defense module** First line of defense [It's recommended for sensitive directories](#)

It protects your website applications against possible bots and malicious crawlers in access to websites or H5 pages.

On/Off



Defense mode



Monitor



Redirect



CAPTCHA



Block

Protected path / Edit

# API Data Security and Enhancement

Last updated : 2023-12-29 14:53:30

APIs allow all computer platforms and operating systems to access data in different formats, such as tracking APIs that can enable users to track the location of goods purchased online.

Many organizations focus more on fast delivery of APIs and applications rather than safeguarding security, contributing to API attacks and data breaches in recent years.

The table lists three API call scenarios:

API Type	Description	Security Status Quo
Public API	Public APIs are exposed on the Internet, allowing anyone to access services from anywhere. Callers can schedule data and processes by passing necessary fields into APIs. Such APIs require the highest level of security and usability monitoring.	While there are few restrictions on public APIs, such as authorization restrictions, loopholes are frequent to detect in business authentication logic, and attackers prefer to target and bypass these APIs through automated fuzz testing and targeted testing.
Internal API	Internal APIs are usually deployed and operated in a data center or private cloud network for internal use, mainly for operation management and internal services.	Using internal APIs has more restrictions, such as authentication restrictions, with low authentication and security strength. Such APIs are vulnerable to targeted attacks and thus have become the culprit for data breaches.
Channel API	Channel APIs are usually deployed and operated in a data center or private cloud network, providing specific external partners and suppliers with limited access to internal APIs to extract and manage data. Such APIs are more sensitive to data leakage than data extraction.	The access control level is higher than internal APIs but lower than external APIs. It's the same case with security control, which is guaranteed mainly through API gateway. When supply chain attacks happen, channel APIs are easily utilized for data abuse due to the lack of monitoring and supervision mechanisms.

## Why API Sensitive Data Discovery Matters

According to the Salt Labs State of API Security Report, Q1 2023, 43% considered zombie APIs the most concerning API security risk and 22% were worried about account takeover/abuse; 83% lacked confidence in organizations' API inventory.

Enterprises are so concerned about API assets as security risks are often hidden in the unknown zombie APIs, unknown shadow APIs, and unknown sensitive data exposure, all rooted in the lack of comprehensive asset visibility. Through such APIs, attackers are likely to launch targeted attacks to extract and expose sensitive data, and even expand the attack surface to gain unauthorized access to servers and databases.

Even if enterprises have begun managing zombie APIs, zombie parameters can be easily overlooked and pose a huge security threat. Zombie parameters may exist in APIs and can be called by attackers even though they are not exposed in the API release. Common zombie parameters include debugging parameters and system property parameters configured during the development and testing cycle. Once attackers successfully exploit vulnerabilities such as batch allocation to obtain unauthorized responses, enormous amounts of business data and user data can be easily collected.

## Directions


### Step 1: Discover API assets

1. Log in to the [WAF console](#) and select **API Analytics** on the left sidebar.


#### Notes

API Analytics is currently in beta testing and only supports 3 domain names. To use this feature, [submit a ticket](#).

2. On the page that appears, select a domain name to protect and toggle on the switch



3. When it's on, you can view related information on the **API details** page.



## Step 2: Enhance API security

1. On the [Basic Security](#) page, select the **API security** tab and create rules.


**API security** ▼ ✓ The API security [Usage so](#)

**Input detection rules** Sensitive data detection rules

**Rules**

On/Off ☒ Total rules 0 rules Rule enabled 0 rules

[Add rule](#) [Import API](#) [Batch enable](#) [Batch disable](#) [Batch delete](#)

<input type="checkbox"/>	Rule ID	API name (descripti...	Source ▼	Request method ▼	API parameter	Action ▼	On/Off ▼	Last modified ↕	Operation
 No data yet									

Total items: 0 10 ▼ / page 1 / 1 page

2. On the **CC protection** tab, configure capacity protection settings based on relevant APIs.

Web security(2190) Access control **CC protection(1)** Web tamper protection Data leakage prevention [Add to precise allowlist](#) [Precise](#)

**Emergency CC protection①**

Status ☒ Deploy dynamic protection policies based on the real server's traffic patterns and Tencent Cloud's security models. Block high-frequency access requests in real time and keep the attacker blocked for 10 minutes.

**Session setting①** [Set](#) [Test](#) [Del](#)

Session position: - Match mode Session ID-

Session settingStart position: ; End position: Configuration time-

[Add rule](#) Each domain name supports up to 5 rules

<input type="checkbox"/>	Rule ID ↕	Rule name	Condition	Request path	Access frequ...	Action ▼	Enable se... ▼	Penalty durat...	Priority	On/Off ▼	Last modi... ↕	Operation
<input type="checkbox"/>		dadad	Equal to	/abc	3 times/60 se...	Block	No	5minutes	50	<input checked="" type="checkbox"/>	2023-04-27 1...	<a href="#">Edit</a> <a href="#">Delete</a>

Total items: 1 10 ▼ / page 1 / 1 page

3. On the **Access control** tab, click **Add rule** to implement protection for sensitive operations based on relevant APIs.

Add custom protection rules

Rule name \*

Enter a name (up to 50 chars)

Match method \*

Field	Matched parameter	Logical operator	Content	Operation
Source IP	No available selec	Match	Enter up to 20 IPs separated by commas	Delete

Add Add up to 5. 4 more allowed

Action \*

Block

Expiration time \*

Never expire

Priority \*

-

50

+

OK

Back

4. On the **Bot and Application Security** page, configure settings to detect API behavior exceptions.



Add custom rules

Rule name \*

Please enter a rule name within 50 characters

Rule description

(Optional) Enter up to 256 characters

0 / 256

On/Off

Condition \*

Field	Matched parameter	Logical operator	Content	Opera
Average session speed ⓘ		>	Please enter an integer between 0-10000	times/min Delete

Add Up to 10. You can add 9 more methods

Action \*

Monitor

Priority

-

100

+

Enter an integer between 1-100. A smaller value indicates a higher execution priority. When the priority is the same, rules more recently added are executed before the less recently added

Custom tag \*

Friendly bot

OK

Back

Step 3: Manage API lifecycle

1. Keep track of the number and status of APIs.

API status					API processing status		
Total APIs	Discovered APIs	Active APIs in th...	7-day inactive A...	Scenes	Confirmed	In progress	Ignored
56	51	56	--	11	2	1	2

2. Detect updates of API parameters.

API status

API attacks

Parameter example

Parameter list

Associated event

Change history

Parameter name	Parameter type ▾	Parameter loc... ▾	Tag ▾	Source	Remarks	Last Update ↓	Operation
...	string	body	Taiwan EEP HK/Macao...	Request		--	Edit
...	long	body	IMEI	Request		--	Edit
...	string	headers		Request		--	Edit
...	int	headers		Request		--	Edit

共 4 项

20 ▾ / page

1

/ 1 page

3. Reprocess APIs when they are no longer in use.

Add API

API name \*

Enter the API path starting with "/" ; up to 128 characters

Enter a description (optional)

(Optional) Enter up to 128 characters

Enable API \*

☒

Request method \*

GET

Match method \*

Parameter name	Parameter location	Type	Required	Remarks	Operation
Enter the paramet	path	Int	<input checked="" type="checkbox"/>	Enter your remark	Delete

Add29 more rules can be added (up to 30)

Action \*

Block

OK

Back

# API Exposure Management

Last updated : 2023-12-29 14:53:43

## Background

Though most of today's digital experiences are empowered by APIs, API security remains a top concern for most CISOs. With the spread of digital transformation across industries and the rise of malicious threats targeting APIs, there is a big gap between API security and actual needs, leaving organizations plagued by incomprehensible attack surfaces and a lack of proper security measures.

APIs are now at the center of digital experience, giving support for core features of mobile and web applications, micro-service architecture and regulations. According to Akamai's statistics, API requests account for 83% of all application requests and the number of hits is expected to reach 42 trillion in 2024. However, APIs have become a prime target for attackers as they are more vulnerable to attacks compared with traditional web forms. A prediction from Gartner that API abuse would be the most common attack type by 2022 also highlights the seriousness of API security issues, which arise from these challenges:

### **Migrating applications to the cloud increases attack surfaces**

As cloud computing has come into widespread use, SaaS applications are increasingly migrated to the cloud and reaching more users, exposing APIs to the cloud. Compared with traditional data centers working in a single-point mode, both East-West and North-South traffic may become the attack surface of APIs.

### **API security is neglected to fuel innovation**

Agile development is a popular method that focuses on individuals and interactions, working software, customer cooperation and response to changes. Although innovation efficiency and flexibility are increased, proper measures to ensure API security are ignored when building software.

### **Attack risks are incurred due to API invisibility**

Since APIs are written by programmers, few people realize the existence and maintenance. On the other hand, unprotected APIs are vulnerable to attacks that could be triggered by network traffic, reverse code, and security vulnerabilities.

### **Security measures are missing due to underestimation of API risks**

The likelihood and impact of API risks are seriously underestimated when running applications and thus APIs including third-party APIs are not adequately protected.

To implement API governance, proper management of API assets and attack surface need to be prioritized.

## About API Exposure

API exposure can be classified into two types:

Type	Description
Data exposure through APIs	Data exposure occurs through internal APIs.
	Data exposure occurs through partner APIs.
	Data exposure occurs through zombie APIs.
	Data exposure occurs through external APIs.
	Data exposure occurs through trial APIs.
Data exposure through parameters	Data exposure occurs through sensitive parameters in APIs.
	Data exposure occurs through backend parameters in APIs.

API exposure makes way for attackers to exploit insufficiently protected APIs, leading to unexpected security incidents such as data and permission leakage and API abuse.

Meanwhile, sensitive and backend parameters in open APIs can also be easily targeted and utilized by attackers.

## Detecting API Exposure

1. Reduce risk exposure by automatic identification of API call relationships and comprehensive and continuous inventory of all APIs.
2. Reduce data exposure by continuous monitoring of sensitive data flows and custom sensitive data detection.
3. Identify unsafe operations by continuous sorting of access accounts and multi-dimensional recording of their behaviors.

The cornerstone of exposure detection is API discovery, which can be achieved using [API Analytics](#). It enables you to discover and manage APIs, monitor exposure surface as well as view comprehensive information about sensitive assets (such as tag, risk level and status).

### Note

API Analytics is currently in beta testing and only supports 3 domain names. To use this feature, [submit a ticket](#).

TodayYesterdayLast week2023-05-01 ~ 2023-07-12View only sensitive APIs

Confirm batchIgnore batchAll request methods

Separate keywords with "|"; press Enter to separate filter tags

<input type="checkbox"/>	API	Risk level	Domain name	Use case	Tag	Active	Asset status	Last Update	Detection time	Operation
<input type="checkbox"/>	POST	Safe		Unknown	Taiwan EEPIMEI	No	Detected	2023-05-29 14:45:43	2023-04-24 14:47:08	Status changedView details
<input type="checkbox"/>	GET	Safe		Unknown		No	Detected	2023-05-29 20:18:23	2023-04-27 18:29:08	Status changedView details
<input type="checkbox"/>	GET	Safe		Unknown		No	Detected	2023-05-29 20:22:45	2023-04-27 18:37:50	Status changedView details
<input type="checkbox"/>	GET	Safe		Unknown		No	Detected	2023-05-29 20:16:25	2023-05-29 20:16:25	Status changedView details

Total items: 4

20 / page1 / 1 page

# API Behavior Control

Last updated : 2023-12-29 14:53:54

## Background

Thriving in the era where everything can be an API, it is necessary to know how to quickly deliver products and services in response to customer needs for digital enterprises. Meanwhile, APIs provide access to increasingly complex applications and massive sensitive data, so they've become a primary target for hackers.

In recent years, many well-known international enterprises have suffered a huge blow due to negligence with API security. There has been a 681% increase in attackers in the past 12 months, and 95% of organizations have experienced API security incidents, according to the State of API Security Report Q1 2022 released by Salt Labs. However, most organizations are not prepared to deal with these challenges, with over a third (34%) having no API security strategy.

Using APIs involves the transfer of large amounts of data. Through WAF, you can secure data access by categorizing and desensitizing data, and prevent data theft by identifying data leakage and blocking abnormal access and connection.

## Exceptional API Behaviors

Launch attacks without obvious features.

Abnormal access to services.

Transfer of large amounts of data.

Access from abnormal sources.

Exploit outdated or zombie APIs.

Overexpose data.

## Handling API Exceptions

Detecting and investigating abnormal API access behaviors is the best way to find and fix security vulnerabilities in daily security operations. In the [WAF console](#), you can use **API Analytics** and **Bot Analytics** to quickly identify API exceptions, so as to enable rapid closed-loop security operations

### Note

API Analytics is currently in beta testing and only supports 3 domain names. To use this feature, [submit a ticket](#).

Detect and investigate API abnormal access behaviors as follows:

1. Detect exceptional requests.

On the [Attack Logs](#) page, identify abnormal access behaviors in logs and track their activity.

On the [API Analytics](#) page, identify abnormal APIs, check API logs and track their activity.

On the [Bot Analytics](#) page, identify API access requests assigned with abnormal scores and track their activity.

2. Get the unique UUID of the abnormal access request and examine the incident scope by the UUID.

After **Access Logs** is enabled, each log entry has a unique UUID, which allows you to analyze and track user activity, API access logs as well as bot behaviors.

3. Identify typical user behavior anomalies.

User access behaviors are inconsistent across different APIs. For instance, it is highly likely to cause an exception to login APIs when there are too many access attempts.

4. Identify whether there are any exceptions from access.

Check whether the access source and login location is abnormal and whether the calls are made from the business side.

5. Identify whether there are any exceptions from returned content.

Check whether the accessed parameters (such as body size) are exceptional.

Check whether the returned content is exceptional.

6. Check the relevant API and user information.

Handle exceptions after identifying abnormal access behaviors, user and API information.

# Integration

## Combined Application of WAF and Anti-DDoS Pro

### Pro

Last updated : 2023-12-29 14:54:08

## Scenarios

Web Application Firewall (WAF) is able to defeat CC attacks. WAF can work with Anti-DDoS Pro to provide an all-out protection against non-HTTP requests.


With DDoS protection capability of hundreds of Gbps, Anti-DDoS Pro can easily deal with DDoS attacks and ensure the availability of your business.

WAF can block web attacks in real time to ensure the security of your business data and information.

## Directions

### Step 1. Configure WAF

1. Log in to the [WAF Console](#) and select **Instance Management** -> **Instance List** on the left sidebar to enter the instance list.
2. On the page, select an instance, and click **Domain Name Connection** to add a domain name.



3. On the domain name connection page, click **Add Domain Name** and configure the following parameters as needed:

#### Domain Name Configuration

Domain Name: enter the domain name to be protected.

Web Server Configurations: select a protocol type and port as needed.

Enable HTTP 2.0: select according to your situation.

Server Port: select according to your situation.



Origin Server Address: enter the real IP address of the origin server of the website to be protected, which is the public IP of the origin server.

**Other Configurations**

Proxy: select "No". If WAF works with Anti-DDoS Advanced, select "Yes".

Enable WebSocket and Load Balancer: select according to your situation.

## Domain Configuration

Domain Name

Web server configurations

☒ HTTP 80 [Other ports](#)☐ HTTPS

Proxy

☒ No ☐ Yes

Choose Yes if you are using proxies (Dayu, CDN or acceleration service)

Real Server Address

☒ IP ☐ Domain Name

Separate IPs by pressing Enter. A maximum of 20 IPs can be set.

Load Balance

☒ Round-Robin ☐ IP Hash

### Advanced settings▲

Origin-Pull Connection

☐ Non-Persistent Connection ☒ Persistent Connection

By default, persistent connection is used for origin-pull. Please check whether your real server connection.

Enable HTTP2.0

☒ No ☐ Yes

Please make sure your real server supports and enables HTTP2.0. Otherwise it will be degraded.

Enable WebSocket

☒ No ☐ Yes

If your website uses WebSocket, please select "Yes"


### Note:

If the real server has multiple intermediate IPs, choose a load balancing strategy as needed. The round-robin strategy will distribute requests of the source IP across real servers in order, while the IP hash strategy will forward requests of the source IP to the same real server. Round-robin is used by default.

4. After the configuration, click **Save**.

## Step 2. Configure Anti-DDoS Pro

1. Log in to [Anti-DDoS Pro Console](#) and select **Anti-DDoS Pro** > **Service Packs** on the left sidebar.
2. Select a region of the target Anti-DDoS Pro instance and click **Protected Resource** on the right of the instance.



3. Select "Web Application Firewall" as the resource type, and set the IP address of the WAF instance.

**Note:**  
For a CLB WAF instance, select "Load Balancing" as the resource type, and set the public IP address of the instance.

Protected Resource

Note: Configured protection policy only works to the currently bound IP. If the protection policy is not applicable to the current IP, please change it.

IP/Resource  
Name Unnamed  
Region Guangzhou  
Package Information Standard Package (BGP)  
Max Bound IPs 1  
Resource Type Cloud Virtual Machine

Select resource

Cloud Virtual Machine

Load balance

Web Application Firewall

NAT Gateway

VPN Gateway

ENI

Resource Type
Cloud Virtual Machine
Cloud Virtual Machine
Cloud Virtual Machine

Total items: 2    10 / page    1 / 1 page

Selected (1)

Resource ID/Name	IP Address	Resource Type
...	...	Cloud Virtual Mach... <span>✕</span>

4. After you complete the configuration, click **OK**.

# Applying for and Using Free HTTPS Certificates


Last updated : 2023-12-29 14:54:19

## Prerequisites

WAF supports the configuration and protection of HTTPS access to domain names. If your website has not been altered for the HTTPS protocol, you can apply for a DV certificate free of charge in the [SSL Certificate Service console](#). After your application is approved, you can associate the certificate in the WAF console and then easily implement access and client connection to the entire website over HTTPS without modifying the real server.

## Associating HTTPS Certificate

1. Log in to the [WAF console](#) and select **Instance management > Instance list** on the left sidebar.
2. On the **Instance list** page, select the target instance and click **Domain name connection**.



3. On the **Domain name connection** page, click **Add domain name**.
4. In **Server configuration** of the domain name configuration, select **HTTPS**. In **Certificate configuration**, click **Associated certificate**.

### Note:

The certificate format should be PEM and the content should be text.

Server configuration ⓘ

☒ HTTP 80 ▼

☒ HTTPS 443 ▼

Certificate configuration

[Associated certificate](#)

[Advanced settings ▲](#)

HTTPS forced jump ⓘ ☒

HTTPS origin-pull method ☒ HTTP 80 ▼ ☐ HTTPS

5. Select **Tencent Cloud-managed certificate** as the **Certificate source**. Then, WAF will automatically associate an available certificate of the domain name. After the configuration is completed, click **Save**.

**Certificate configuration** ✕

Certificate source ☒ Tencent Cloud-managed certificate ([SSL certificate management](#)) ☐ External certificate

Certificate ⓘ  ▼

6. Enable **HTTPS forced jump** and select the **HTTP** access protocol above. Select **HTTP** for **HTTPS origin-pull method** and set other parameters as needed; then, your website will support HTTPS access.

**Note:**

To enable **HTTPS forced jump**, you need to select both **HTTP** and **HTTPS** access protocols.

Server configuration ⓘ

☒ HTTP 80 ▼

☒ HTTPS 443 ▼

Certificate configuration [Associated certificate](#)

[Advanced settings▲](#)

HTTPS forced jump ⓘ ☒

HTTPS origin-pull method ☒ HTTP 80 ▼ ☐ HTTPS

# Obtaining Real Client IPs

Last updated : 2023-12-29 14:54:31

## Getting Real Client IP in WAF

WAF uses a reverse proxy to protect your website. When you access a WAF-protected domain name, a `X-Forwarded-For` record will be added to the HTTP header field to record your real IP, such as `X-Forwarded-For:user IP`. If the accessed domain name has proxies at multiple levels, WAF will record the IP of the proxy server just before WAF, for example:

Scenario 1: User > WAF > real server, with `X-Forwarded-For` recorded as `X-Forwarded-For:user's real IP`

Scenario 2: User > CDN > WAF > real server, with `X-Forwarded-For` recorded as `X-Forwarded-For:user's real IP,X-Forwarded-For:CDN origin-pull address`

### Note:

In scenario 2, you need to select **Yes** for **Use proxy** when [adding a domain name](#) in WAF. After the proxy is connected, the client IP may be forged, but this will not be the case if Tencent Cloud CDN is used, as it will reset the `X-Forwarded-For` information and enter only the client IP it has obtained. (If a proxy is used, attackers can launch attacks only if they can send requests directly to the WAF VIP address. When the proxy is connected, the WAF VIP address cannot be detected by users. Be sure to keep the WAF VIP confidential.)

For more information on CLB WAF connection, see [Obtaining Real Client IPs over IPv4 CLBs](#).

Below are commonly used `X-Forwarded-For` configuration schemes for application servers:

[IIS 7 Configuration Scheme](#)

[Apache Configuration Scheme](#)

[NGINX Configuration Scheme](#)

## IIS 7 Configuration Scheme

1. Download and install the [F5XForwardedFor](#) plugin module, copy `F5XFFHttpModule.dll` and `F5XFFHttpModule.ini` in the `x86\Release` or `x64\Release` directory based on your server OS to a certain directory (such as `C:\F5XForwardedFor`), and make sure that the IIS process has read permission to this directory.
2. Select **IIS Server** and double-click **Modules**.
3. Click **Configure Native Modules**.
4. In the pop-up box, click **Register**.
5. Add the downloaded DLL files.



6. After adding the files, check them and click **OK**.
7. Add the above two DLL files in "ISAPI and CGI Restrictions" and set the restrictions to "Allow".
8. Restart the IIS server for the configuration to take effect.

## Apache Configuration Scheme

1. Install the Apache "mod\_rpaf" module using the following commands:

```
wget http://stderr.net/apache/rpaf/download/mod_rpaf-0.6.tar.gz
tar zxvf mod_rpaf-0.6.tar.gz
cd mod_rpaf-0.6
/usr/bin/apxs -i -c -n mod_rpaf-2.0.so mod_rpaf-2.0.c
```

2. Modify the Apache configuration file `/etc/httpd/conf/httpd.conf` by adding the following to the end of the file:

```
<pre>
LoadModule rpaf_module modules/mod_rpaf-2.0.so
RPAFenable On
RPAFsethostname On
<font color="red">
RPAFproxy_ips IP // The IP address is the origin-pull IP address of the WAF-protected domain name. You can view
it in the protected domain name list in the <a href="https://console.tencentcloud.com/guanjia/waf/config">WAF
console</a> or in the backend logs of the server. You only need to enter all the IP addresses that need to be viewed.
RPAFheader X-Forwarded-For
</font>
</pre>
```

3. After adding the above content, restart Apache.

```
/usr/sbin/apachectl restart
```

## NGINX Configuration Scheme

1. You can use `http_realip_module` to get the real client IP when NGINX is used as the server. However, this module is not installed in NGINX by default, so you need to recompile NGINX to add `--with-http_realip_module`. The code is as follows:

```
wget http://nginx.org/download/nginx-1.14.0.tar.gz
tar zxvf nginx-1.14.0.tar.gz
```

```
cd nginx-1.14.0
./configure --user=www --group=www --with-http_stub_status_module --without-
http-cache --with-http_ssl_module --with-http_realip_module
make
make install
```

## 2. Modify the `nginx.conf` file.

```
vi /etc/nginx/nginx.conf
```

Modify the content in red as shown below:

```
<div class="code">
<p>
</p>
<pre>
fastcgi connect_timeout 300;
fastcgi send_timeout 300;
fastcgi read_timeout 300;
fastcgi buffer_size 64k;
fastcgi buffers 4 64k;
fastcgi busy_buffers_size 128k;
fastcgi temp_file_write_size 128k;
<font color="red">
set_real_ip_from IP; // The IP address is the origin-pull IP address of the WAF-protected domain name. You can
view it in the connected domain name list in the <a
href="https://console.tencentcloud.com/guanjia/instance/domain">WAF console</a>.
real_ip_header X-Forwarded-For;
</font>
</pre>
</div>
```

## 3. Restart NGINX.

```
<pre>
service nginx restart
</pre>
```

# Replacing Certificate

Last updated : 2023-12-29 14:54:43


## Overview

When users visit your website with an expired certificate, there will be a warning sign displayed; if an API has been called by your domain name, an error will be reported. To avoid business interruption, update your certificate on the console in a timely manner.


## Directions

### Example 1: External certificate

1. Log in to the [WAF console](#) and select **Asset center** > **Domain name list** on the left sidebar.
2. On the **Domain name list** page, select the target domain name and click **Edit**.



3. On the **Edit domain name** page, click **Reassociate** in **Server configuration** to pop up the **Certificate configuration** window.



☒ HTTPS

443 ▼

Certificate configuration

Reassociate

TypeExternal certificate

Expiration date:2023-03-17 23:59:59

Certificate status:Normal-Normal certificate

Advanced settings▲

HTTPS forced jump ☐

HTTPS origin-pull method ☒ HTTP 8080 ▼ ☐ HTTPS

Use proxy ☐ No ☒ Yes

Choose Yes if you are using proxies (Dayu, CDN or any other acceleration service)


Origin address ☐ IP ☒ Domain name

OK

Back

4. In the **Certificate configuration** pop-up window, select **External certificate** for **Certificate source**, enter the certificate and private key, and click **OK**.

## Certificate configuration

Certificate source ☐ Tencent Cloud-managed certificate([SSL certificate management](#) )  
☒ External certificate

Certificate

Please copy and paste the certificate content here, including the certificate chain

0

Note that the pasted certificate content should include **Certificate chain**

Private key

Copy the private key content and paste it here

0

OK

Cancel

### Example 2: Tencent Cloud-managed certificate

1. On the [Domain name list](#) page, select the target domain name and click **Edit**.

<input type="checkbox"/>	Domain name/Access...	Instance information ⓘ	Instance ID/name	Mode ▾	Protected origin-pull address ⓘ	Bot	IPv6	WAF ▾	Access... ▾	Operation
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<a href="#">Edit</a> <a href="#">Delete</a> Basic protection BOT More ▾

2. On the **Edit domain name** page, click **Reassociate** in **Server configuration** to pop up the **Certificate configuration** window.

### Edit domain name

Instance

SaaS

CLB

Domain name \*

Server configuration ⓘ

☐ HTTP

☒ HTTPS 

443 ▾

Certificate configuration

Reassociate

TypeExternal certificate  
Expiration date:2023-03-17 23:59:59  
Certificate status:Normal-Normal certificate

Advanced settings ▲

HTTPS forced jump ⓘ

☐

HTTPS origin-pull method

☒ HTTP 

8080 ▾


☐ HTTPS

Use proxy ⓘ

☐ No ☒ Yes

Choose Yes if you are using proxies (Dayu, CDN or any other acceleration service)

Origin address ⓘ ☐ IP ☒ Domain name



3. In the **Certificate configuration** pop-up window, select **Tencent Cloud-managed certificate** for **Certificate source** and click **OK**.

**Note:**

This method only applies to certificates that have been uploaded to SSL Certificate Service.

**Certificate configuration**

Certificate source ☒ Tencent Cloud-managed certificate([SSL certificate management](#) ⓘ) ☐ External certificate

Certificate ⓘ

## Certificate Validity Check

You can check the effective and expiration dates of the certificate by accessing the domain name via a browser. If the certificate does not take effect, [contact us](#) for help.

# Protection Configuration

## Setting CC Protection

Last updated : 2023-12-29 14:55:00

This document describes how to configure CC protection in the WAF console.

## Overview

CC protection enables access protection for specified URLs, which supports emergency CC protection and custom CC protection policies.

### Note:

Emergency CC protection and custom CC rules cannot be enabled at the same time.

## Directions


### Example 1: Emergency CC protection settings

#### Note:

Emergency CC protection is disabled by default. Before enabling it, make sure that the custom CC rule feature is disabled.

1. Log in to the [WAF console](#) and select **Basic security** on the left sidebar.
2. On the **Basic security** page, select the target domain name in the top-left corner and click **CC protection**.





3. In the emergency CC protection module, click




on the right of the status and confirm the operation to enable emergency CC protection.

#### Note:

After emergency CC protection is enabled, if a website is under massive CC attacks (with a website QPS of 1000 or above), the protection will be automatically triggered. If there are no specific protection paths, we recommend enabling emergency CC protection. As there may be some false alarms, you can enter the blocklist/allowlist in the console to add blocked IPs to the allowlist.

If there are specific protection paths, we recommend using custom CC rules.



## Example 2: Access source IP-based CC protection settings

An IP-based CC protection policy can be directly configured without setting SESSION.

1. Log in to the [WAF console](#) and select **Basic security** on the left sidebar.
2. On the **Basic security** page, select the target domain name in the top-left corner and click **CC protection**.

Basic Security Manage basic security configuration

Rules SaaS

Web security rules Access control **CC protection** Web tamper protection Data leakage prevention API protection Block page

Web security(549) Access control(5) **CC protection(2)** Web tamper protection(2) Data leakage prevention(3) API security Add to precise allowlist Precise all

**Emergency CC protection**<sup>①</sup>

Status ☐ Support auto decisions and protection policies based on exceptional responses (timeout and delay) of the origin server and website access history, real-time blocking of high-frequency access requests, and banning attackers for 1 hour

**Session setting**<sup>①</sup> Set Test Delete

Session location- Match mode Session ID-

Session setting Session start Session end Configuration time-

**Add rule** Each domain name supports up to 20 rules Click to select a filter

<input type="checkbox"/>	Rule ID <sup>⬇</sup>	Rule name	Match condition	Request path	Access frequency	Action <sup>⬇</sup>	Enable session <sup>⬇</sup>	Penalty duration	Priority	On/Off <sup>⬇</sup>	Last modified <sup>⬇</sup>	Operation
--------------------------	----------------------	-----------	-----------------	--------------	------------------	---------------------	-----------------------------	------------------	----------	---------------------	----------------------------	-----------

3. On the **CC protection** page, click **Add rule**.

Web security(549) Access control(5) **CC protection(2)** Web tamper protection(2) Data leakage prevention(3) API security Add to precise allowlist Precise all

**Emergency CC protection**<sup>①</sup>

Status ☐ Support auto decisions and protection policies based on exceptional responses (timeout and delay) of the origin server and website access history, real-time blocking of high-frequency access requests, and banning attackers for 1 hour

**Session setting**<sup>①</sup> Set Test Delete

Session location- Match mode Session ID-

Session setting Session start Session end Configuration time-

**Add rule** Each domain name supports up to 20 rules Click to select a filter

<input type="checkbox"/>	Rule ID <sup>⬇</sup>	Rule name	Match condition	Request path	Access frequency	Action <sup>⬇</sup>	Enable session <sup>⬇</sup>	Penalty duration	Priority	On/Off <sup>⬇</sup>	Last modified <sup>⬇</sup>	Operation
--------------------------	----------------------	-----------	-----------------	--------------	------------------	---------------------	-----------------------------	------------------	----------	---------------------	----------------------------	-----------

4. In the **Add rule** pop-up window, enter the rule details.

**Note:**

If **IP** is selected as the recognition mode, after the rule is triggered for blocking, the IP will be blocked across the entire website (i.e., the IP will be blocked when accessing other URLs). But if **SESSION** is selected, blocking will not be global.

## Add CC protection rules

Rule name \*

Enter a name (up to 50 chars)

Identification method \*



IP



SESSION

Match method \*

Match Field	Matched parameter	Condition	Match content	Operation
URL ▼		Equal to ▼	Must start with "/"; up to 128 char	Delete
Add Up to 10. You can add 9 more methods				

Access frequency \*

60

times

60sec



Action \*

Block ▼



Penalty duration \*

10

minutes



Priority \*

-

50

+

OK

Back

## Parameter description:

Rule name: Custom name, which can contain up to 50 characters.

Identification method: **IP** or **SESSION**.

Match method: **Equal to**, **Prefix match**, or **Include**.

Advanced match: Filters access with GET and POST form parameters to control the frequency in a more refined manner and increase the hit rate.

Match field: Specifies the request method, which can be GET or POST.

Parameter name: Parameter name in a request field, which can contain up to 512 characters.

Parameter value: Parameter value in a request field, which can contain up to 512 characters.

Note: The three test entries for GET request are as follows: a=1&b=11, a=2&b=12, a=&b=13.

If the parameter name of a GET configuration is `a`, and the parameter value is `1`, then `1` will be hit.

If the parameter name of a GET configuration is `a`, the parameter value is `\\*`, then `1`, `2`, and `3` will be hit.

**Access frequency:** Set the access frequency based on your business, for which a value 3 to 10 times the common number of access requests is recommended. For example, if your website is accessed averagely 20 times per minute, you can configure the value to 60 to 200 times per minute or adjust it according to the attack severity.

**Action:** **Observe**, **CAPTCHA**, or **Block**.

**Penalty duration:** One minute to one week.

**Priority:** Enter an integer between 1 to 100. A smaller integer indicates a higher action priority for a rule. When the priority is the same, the later a rule is created, the higher its priority.


### Example 3: Session-based CC protection settings

CC protection based on session access frequency effectively resolves false positive problems that may occur when the same IP egress is used by multiple users in office buildings, stores, supermarkets, and other public Wi-Fi networks.


#### Note:

SESSION must be set before using the session-based CC protection policy. The step 1 to 4 are SESSION setting directions.

1. Log in to the [WAF console](#) and select **Basic security** on the left sidebar.
2. On the **Basic security** page, select the target domain name in the top-left corner and click **CC protection**.



3. In the **Session setting** module, click **Set** to set the session dimension information.



4. In the **Session setting** pop-up window, enter the required information. In this example, a cookie is used as the test object, whose **Session ID** is `security` , **Session start** is `0` , and **Session end** is `9` . After completing the settings, click **OK**.

## Session setting

Session location \*

Please select ▼

Match mode \*

☐

String match

☐

Posistion match

Session ID \*

Up to 32 characters; string match (eg: key\_b=)

Session end

Enter up to 32 characters

### GET/POST example

If the complete parameter of a request is `key_a=124&key_b=456&key_c=789`

In string match mode, the session ID is `key_b=` and in String Match mode, SESSION ID is `"key_b="`, end character is `"&"`, then 456 will be matched; or

In location match mode, the session ID is `key_b`, session start is `"0"`, and session end is `"2"`, then 456 will be matched

### Cookie example

If the complete cookie of a request is `cookie_1=123;cookie_2=456;cookie_3=789`

In string match mode, the session ID is `cookie_2=`, end character is `";"`, then 456 will be matched

In location match mode, the session ID is `cookie_2`, session start is `"0"`, and session end is `"2"`, then 456 will be matched

### Header example:

If the complete HEADER of a request is `X-UUID: b65781026ca5678765`

In location match mode, the session ID is `X-UUID`, session start is `"0"`, and session end is `"2"`, then b65 will be matched

OK

Back

### Parameter description:

Session location: **COOKIE**, **GET**, or **POST**. Here, **GET** and **POST** are HTTP request content parameters rather than HTTP header information.

Match: **Location match** or **String match**.

Session ID: Session ID of up to 32 characters.

Session start: Location where string or location match starts. It is an integer between 0 and 2048.

Session end: Location where string or location match ends. It is an integer between 1 and 2048 and can contain up to 128 characters.

GET/POST example: Assume that the complete parameter content in a request is `key_a = 124&key_b = 456&key_c = 789`, then:

In string match mode, if the session ID is `key_b =`, and the end character is `&`, then the matched content will be `456`.


In location match mode, if the session ID is `key_b`, the session start is `0`, and the session end is `2`, then the matched content will be `456`.

Cookie example: Assume that the complete cookie content in a request is `cookie_1 = 123;cookie_2 = 456;cookie_3 = 789`, then:

In string match mode, if the session ID is `cookie_2 =`, and the end character is `;`, then the matched content will be `456`.

In location match mode, if the session ID is `cookie_2`, the session start is `0`, and the session end is `2`, then the matched content will be `456`.

5. Click **Test** to test the session information.



6. Go to the **SESSION** settings page and set the content to `security = 0123456789`. Then, WAF will use the 10 characters following `security` as the session ID. You can also delete or reconfigure the session information.

## Session test

Text to extract \*

uin=12345

9

Matched locationGET;

Match methodPosition match;

Match settingSession IDuin; Session start1; Session end5

Test results

2345

OK

Back

7. Set a session-based CC protection policy as instructed in [Example 2](#), but select "SESSION" as the recognition mode.

**Note:**

If **GET** is selected as the session location in a rule, access with the same session information instead of the IP information will be blocked.



### Add CC protection rules

Rule name \*

Identification method \*



IP



SESSION

Match method \*

Match Field	Matched parameter	Condition	Match content	Operation
URL ▼		Equal to ▼	Must start with "/"; up to 128 char	Delete
<a href="#">Add</a> Up to 10. You can add 9 more methods				

Access frequency \*

times



Action \*



Penalty duration \*

minutes



Priority \*

-

+

7. After the configuration is completed, the session-based CC protection policy will take effect.

#### Note:

If you use session-based CC protection, you cannot view IP blocking information in the IP blocking status section.

# Connecting Frontend-Backend Separated Site to WAF CAPTCHA

Last updated : 2023-12-29 14:55:13

You can connect WAF CAPTCHA to frontend-backend separated sites or app sites to dynamically send CAPTCHAs from such sites.

You can connect a frontend-backend separated site to the WAF CAPTCHA process to dynamically verify human operations for the site in various scenarios, including custom rule hit, CC attack protection, and bot traffic management. Both iOS and Android apps are connected through web frontend HTML5.

## Prerequisites

You have purchased [WAF](#) (Premium or higher) and [connected to it](#).

## How to Detect

This feature dynamically checks whether the packets returned from the server contain the CAPTCHA fields delivered by WAF, and if so, it will render the CAPTCHA at the top floating layer to connect the frontend-backend separated site or app to WAF CAPTCHA.

## Directions

Below is the sample code for WAF CAPTCHA connection (with Axios as an example). You can refer to the following to connect a frontend-backend separated site to WAF CAPTCHA based on your actual use case:

1. Add interceptors to the Axios response.

```
// Regexes related to WAF CAPTCHA `seqid`
const sig_data = /seqid\s=\s"(\w+)/g
const waf_id_data = /TencentCaptcha\((\d+\s')/g

const service = axios.create({
  baseURL: '/api',
  timeout: 10000,
  withCredentials: true
});
```

```

service.interceptors.response.use((response)=>{
  const res = response.data;
  if(res.code === 0){
    return res;
  }else{
    // Capture the error and render the CAPTCHA
    const matches = sig_data.exec(res);
    if(matches){
      // Display the CAPTCHA
      let seqid = matches[1];
      const wid_matches = waf_id_data.exec(res);
      let wid = wid_matches[1]
      var captcha = new TencentCaptcha(wid, function(res){
        var captchaResult = []
        captchaResult.push(res.ret)
        if(res.ret === 0){
          captchaResult.push(res.ticket)
          captchaResult.push(res.randstr)
          captchaResult.push(seqid)
        }
        var content = captchaResult.join('\\n')
        axios.post(
          "/WafCaptcha",content
        ).then().catch();
      });
      captcha.show()
    }else{
      return res;
    }
  }
}, ()=>{});
export default service;

```

```
Vue.prototype.$axios = service;
```

## 2. Add the Axios response with added interceptors during API call.

```

getTopic:function(){
  this.$axios.get("/api.php").then(res => {
    this.topic = res
  });
}

```

## 3. Import the CAPTCHA script globally by adding `<script`

`src="https://ssl.captcha.qq.com/TCaptcha.js"></script>` to `public/index.html` .

```
<!DOCTYPE html>
<html lang="">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width,initial-scale=1.0">
  <link rel="icon" href="<%= BASE_URL %>favicon.ico">
  <title><%= htmlWebpackPlugin.options.title %></title>
</head>
<body>
  <noscript>
    <strong>We're sorry but <%= htmlWebpackPlugin.options.title %> doesn't work
properly without JavaScript enabled. Please enable it to continue.</strong>
  </noscript>
  <script src="https://ssl.captcha.qq.com/TCaptcha.js"></script>
  <div id="app"></div>
  <!-- built files will be auto injected -->
</body>
</html>
```


4. After entering the above code, compile and deploy it on the server.
5. Configure a custom rule in WAF and use an async request to check whether the current page pops up the CAPTCHA window.



## Welcome to Your Vue.js App

For a guide and recipes on how to configure / customize this project,  
check out the [vue-cli documentation](#).

### Installed CLI Plugins



# Setting WAF Exception Alarms in TCOP

Last updated : 2024-09-05 11:35:52

This document introduces how to configure alarms in Tencent Cloud Observability Platform (TCOP). When a Web Application Firewall (WAF) exception occurs, you can be promptly notified.

## Prerequisites


You have activated [WAF](#).

You have configured the [Domain Name List](#).

## Directions

### Step 1: Configuring a Trigger Condition Template

1. Log in to the [TCOP Console](#), and click **Alarm Management > Alarm configuration > Trigger Condition Template** in the left sidebar.
2. On the trigger condition template page, click **Create Trigger Condition Template**, and the creation window pops up.



3. In the pop-up window, configure the necessary content, and then click **Save** to successfully create the trigger condition template.

**Create**

Template Name

Enter 1-100 Chinese/English characters or underscores

Remarks

Optional, can input up to 100 characters, including Chinese and English characters and underscores.

Policy Type

Cloud Virtual Machine

☐ Apply preset trigger conditions<sup>(i)</sup>

Trigger Condition

**Metric Alarm**Event Alarm

When meeting 

any

 of the following conditions, the metric will trigger an alarm. ☐ Enable alarm level feature.

if

CPUUtilization

(statistical period: 1 m

>

0

%

for 1 period

then

Alarm once a day

(i)

Add Metric

Save

Cancel

**Parameter Description:**

**Template Name:** Enter the template name.

**Remarks:** Enter template remarks.

**Policy Type:** Select WAF.

**Apply Preset Trigger Conditions:** Select this option to enable the preset trigger conditions for the corresponding monitoring item in TCOP.

**Trigger Condition:**

It supports metric alarm and event alarm. Click **Add Metric** below to set multiple alarms.

WAF can monitor a range of conditions, including the number of accesses, number of web attacks, number of CC attacks, upstream and downstream bandwidth, QPS, number of bot attacks, percentage of web attacks, percentage of bot attacks, and percentage of CC attacks.

**Step 2: Configuring a Notification Template**


1. Log in to the [TCOP Console](#), and click **Alarm Management > Alarm configuration > Notification Template** in the left sidebar.
2. On the notification template page, click **Create Notification Template** to enter the create notification template page.

**Alarm configuration**

Alarm Policy   Trigger Condition Template   **Notification Template**   Scheduling Management

① If you have any questions or suggestions, [scan QR code to join our community on WeChat or WeCom.](#)

**Create Notification Template**   Delete   Search by Tag, Template, User, User Group, Schedule

<input type="checkbox"/> Template Name ↓	Included Operations	Last Modified by	Update Time ↓	Operation
 <a href="#">New Notification Template</a>	Recipient: 1		2022-11-03 10:14:04	Edit Copy Delete

Total items: 1   20 ✓ / page   1 / 1 page

3. On the create notification template page, complete the required settings and click **Complete** to successfully create the notification template.



## Create Notification Template

### Basic Info

Template Name

Notification Type ☒ Alarm Trigger ☒ Alarm Recovery

Notification Language

Tag

[+ Add](#) [Paste](#)

### Notifications (Fill in at least one item)

User Notification You can add a user only for receiving messages.

Recipient Object

Notification Cycle ☒ Mon ☒ Tue ☒ Wed ☒ Thu ☒ Fri ☒ Sat ☒ Sun

Notification Period

Receiving Channel ☒ Email ☒ SMS

[Add User Notification](#)

### API Callback

API Callback URL

Configure API Callback, CM will send alarm notifications to the URL or corresponding group. [View Usage Guides](#)

Notification Cycle ☒ Mon ☒ Tue ☒ Wed ☒ Thu ☒ Fri ☒ Sat ☒ Sun

Notification Period

[Add API Callback](#)

It supports pushing to the WeCom group robot [Try Now](#)

Ship to CLS ☐ Enable

[Create Log Topic](#)

[Complete](#)

### Parameter Description:

**Template Name:** Enter the customized template name.

**Notification Type:**

**Alarm trigger:** A notification will be sent when an alarm is triggered.

**Alarm recovery:** A notification will be sent when an alarm is recovered.

**Notification Language:** Select Chinese or English.

**User Notification:**

**Recipient object:** Select a recipient group or recipient.

**Notification period:** Define the time period for receiving alarms.

**Receiving channel:** Email, SMS, WeChat, and phone call are supported.

**API Callback:** Enter publicly accessible URLs as callback API addresses. You can provide up to 3 alarm callback addresses. TCOP will push alarm information to these addresses promptly. If the HTTP returns code 200, the verification is successful. For more information on alarm callback fields, see [Alarm Callback Description](#).

**Ship to CLS:** After it is enabled, alarms will be shipped to the specified log topics of CLS in real time.

### Step 3: Configuring an Alarm Policy


1. Log in to the [TCOP Console](#), and click **Alarm Management > Alarm configuration > Alarm Policy** in the left sidebar.

**Note**

You can add, modify, and copy an alarm policy, and view the alarm history of the policy on the alarm policy page.

Each policy can be bound to the set [Trigger Conditions](#) and [Notification Template](#).

2. On the alarm policy page, click **Create Policy** to enter the create alarm policy page.



3. On the create alarm policy page, you need to complete the following steps:

3.1 Basic Information: Configure the name, remarks, and other information. Select WAF as the policy type.

←

Create Alarm Policy

1

Configure Alarm Policy

>

2

Configure Alarm Notification

Basic Info

Policy Name

Up to 60 characters

Remarks

It can contain up to 100 characters

Configure Alarm Rule

Monitoring Type

Cloud Product Monitoring

APM

RUM

Cloud Probe Monitor

Terminal Performance Monitoring

Policy Type

Cloud Virtual Machine

Project

DEFAULT PROJECT

1 exists. You can create 299 more static threshold policiesThe current account has 0 policies for dynamic alarm thresholds, and 20 more policies can be crea

Tag

Tag Key

Tag Value

×

+ Add

📄 Paste

Alarm Object

Instance ID

Select object

CVM - Basic Monitor supports alarm policy configuration by tag now, allowing newly purchased instances to be automatically associated with alarm policies.

[View Details](#)

3.2 WAF Alarm Object: Select WAF to support monitoring and alarming at the instance level, as well as instance group objects, which need to be manually grouped.

### Note

Instance ID: The alarm policy is bound to the selected instance.

Instance group: The alarm policy is bound to the selected instance group.

All objects: The alarm policy is bound to all instances the current account has permission on.

3.3 Trigger Conditions: Select the set [Trigger Condition Template](#), or configure it manually.

Alarm Object: Instance ID  Select object

CVM - Basic Monitor supports alarm policy configuration by tag now, allowing newly purchased instances to be automatically associated with alarm policies. [View Details](#)

Trigger Condition: ☐ Select Template ☒ Configure manually ☒ Apply preset trigger conditions ①

**Metric Alarm** **Event Alarm**

When meeting  of the following metric conditions, the metric will trigger an alarm. ☐ Enable alarm level feature.

▶ If CPUUtilization  (statistical period ) >  95 % at 5 consecutive  then Alarm every 2 hours

▶ If PublicBandwidth...  (statistical period ) >  95 % at 5 consecutive  then Alarm every 2 hours

▶ If MemoryUtilization  (statistical period ) >  95 % at 5 consecutive  then Alarm every 2 hours

▶ If DiskUtilization  (statistical period ) >  95 % at 5 consecutive  then Alarm every 2 hours

[Add Metric](#)

3.4 Notification Template: Select the set [Notification Template](#) and click **OK** to save.#LF#

**Select notification template**

You have selected 1 notification template, and 2 more can be selected.

Search for notification template

Notification Template Name	Included Operations
<input checked="" type="checkbox"/> <a href="#">Notification Template</a>	Recipient: 1

Total items: 1      20 / page        1 / 1 page

3.5 Advanced Configuration (Optional): Click



to enable AS. When the alarm condition is met, the AS policy can be triggered.

4. After the above steps are completed, click **Complete** to successfully create the alarm policy.

←

Create Alarm Policy

✓

Configure Alarm Policy

>

2

Configure Alarm Notification

Configure Alarm Notification

To add an alarm recipient (group), you need to select a notification template or create one below. You can click the template name to add API callbacks. [Learn More](#)

Notification Template

Select Template

Create Template

You have selected 1 notification template, and 2 more can be selected.

Notification Template Name	Included Operations	Operations
<div>Default Notification Template</div>	<div>Default Notification Template</div>	<div>Remove</div>

▶ Advanced Configuration(Optional, only metric alarm conditions are supported to trigger elastic scaling)

Previous step

Complete

©2013-2025 Tencent Cloud International Pte. Ltd.

Page 113 of 113